



®

HENSSGEN
HARDWARE

®

43 EVERTS AVENUE
PO BOX 2078
GLENS FALLS, NY 12801

800 833 9598
518-793-0085 (FAX)
www.henssgenhardware.com



About Us - Snap Hooks & Pulleys Distributor

Henssgen Hardware was established in 1978 to bring quality snap hook hardware to American distributors and manufacturers from our overseas factories in Germany. We stock over 100 different styles of the most popular snap hooks, pulleys, quick links and assorted hardware in all sizes for Farm, Home, and Sport, and have many more items available.

In 2000, Ron & Nancy Shaw purchased Henssgen Hardware Corporation from Mittelman Overseas. They successfully carried on the Henssgen Brand distributing the rigging hardware throughout the US, Canada and the Caribbean. In late 2013, the third generation of the Shaw family, Rachel Shaw Novak, purchased the business from her parents.

Since the acquisition, Mrs. Novak has obtained Women's Business Enterprise/Woman Owned Small Business certification for Henssgen Hardware Corporation and continues to carry on the tradition of providing high quality rigging hardware to the company's customer base. Mrs. Novak has a strong background in the service industry and providing exceptional customer service to her customers is a core value within the organization. She maintains excellent relationships with the long term suppliers of Henssgen Hardware and will not sacrifice on quality for price. We continue to work with factories in Germany as well as Taiwan and China.

We will constantly strive to exceed our customer's expectations and seek out the highest quality products for our inventory. Our core values are service, quality and dependability.

Henssgen Hardware is a distributor of rigging hardware manufactured from Steel, Stainless Steel, Malleable Iron, Die Cast Zinc Alloy, and Solid Brass, that can be used with all types of rope, wire rope, chain, cable, leather and nylon straps. For strength requirements on any of our rigging hardware call or email us.

Please call our toll free number 800-833-9598 and talk to any of our knowledgeable staff to discuss your particular needs. We have the resources available to help you find what you're looking for. Your satisfaction is guaranteed with every order.



Pricing: FOB Glens Fall, NY. All shipments will be made at Net Prices in effect at time of shipment.

Terms: Net 30 days, Open Account to Customers having satisfactory credit ratings, all others COD, or Credit Card



Packing: Orders are shipped minimum 10 pcs. per box, no broken boxes.

Minimum Order Charge: \$50.00 order fulfilled for full boxed quantities only. Orders less than \$50.00 subject to a \$10.00 surcharge.

Returns: Items returned for credit will be subject to a 25% restocking fee.

NOTES:

[illegible]



NICKEL-PLATED ZINC DIE-CAST ALLOY

Henssgen Hardware's fixed and swivel snap hooks are Die Cast from a Zinc Alloy and then nickel plated to a high luster.

Henssgen Hardware's Zinc Alloy is rust resistant and is used outdoors in fresh water and salt water environments. To add to the rust resistant quality Henssgen Hardware equips each Die Cast Zinc Alloy Snap with a Stainless Steel Spring.

The Die Cast process is done under extreme pressure which results in a very uniform material cross section void of internal defects, therefore creating a very consistent product with regard to finish and strength. For the safe working loads on the Die Cast Snaps in this section call our toll free number shown above.

**RUST-PROOF ZINC DIE-CAST
WITH STAINLESS STEEL SPRINGS**STOCK
NUMBERPCS/
BOXBULK
PACKLBS/
100 PCS**HARNESS SWIVEL EYE BOLT SNAP**

017

1

 $3\frac{1}{8}$ $\frac{5}{16}$

10

100

 $10\frac{1}{8}$ **HARNESS FIXED EYE BOLT SNAP**

025

1

 $3\frac{1}{8}$ $\frac{5}{16}$

10

100

 $7\frac{1}{2}$ **DELUXE SWIVEL EYE BOLT SNAP**

057

 $\frac{5}{8}$ $3\frac{1}{4}$ $\frac{5}{16}$

10

100

 $9\frac{1}{4}$

057

 $\frac{3}{4}$ $3\frac{3}{8}$ $\frac{5}{16}$

10

100

 $9\frac{1}{4}$ **DELUXE HARNESS SWIVEL SNAP**

058

1

3

 $\frac{5}{16}$

10

100

 $10\frac{3}{4}$ **FIXED EYE BOLT SNAP**

125

 $\frac{1}{2}$ $3\frac{5}{16}$ $\frac{3}{8}$

10

100

 $7\frac{1}{4}$

125

 $\frac{5}{8}$ $3\frac{3}{8}$ $\frac{5}{16}$

10

100

7

125

 $\frac{3}{4}$ $3\frac{1}{2}$ $\frac{5}{16}$

10

100

 $7\frac{1}{2}$ **DOUBLE END BOLT SNAP**

161

-

 $3\frac{1}{2}$ $\frac{5}{16}$

10

100

 $11\frac{1}{2}$

162

-

4

 $\frac{5}{16}$

10

100

12

163

-

 $4\frac{1}{2}$ $\frac{5}{16}$

10

100

12

* All measurements are in inches
unless otherwise noted.

RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

NICKEL-PLATED ZINC
DIE CAST ALLOY

	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
SWIVEL ROUND EYE							
	178	$\frac{1}{2}$	2	$\frac{1}{2}$	10	100	$4\text{-}\frac{3}{4}$
	178	$\frac{5}{8}$	$2\text{-}\frac{3}{8}$	$\frac{5}{8}$	10	100	$5\text{-}\frac{1}{2}$
	178	$\frac{3}{4}$	$2\text{-}\frac{5}{8}$	$\frac{3}{4}$	10	100	$6\text{-}\frac{1}{2}$
	178	1	3	1	10	100	10
SWIVEL HARNESS EYE							
	179	1	$1\text{-}\frac{7}{8}$	1	10	100	$9\text{-}\frac{3}{4}$
HARNESS FIXED EYE SPRING SNAP							
	200	$\frac{3}{4}$	$2\text{-}\frac{11}{16}$	$\frac{3}{8}$	10	100	9
	200	1	3	$\frac{3}{8}$	10	100	$9\text{-}\frac{1}{3}$
FIXED EYE SPRING SNAP							
	202	$\frac{5}{8}$	$3\text{-}\frac{1}{8}$	$\frac{3}{8}$	10	100	$8\text{-}\frac{1}{2}$
SWIVEL EYE SPRING SNAP							
	222	$\frac{3}{4}$	$3\text{-}\frac{5}{8}$	$\frac{3}{8}$	10	100	$10\text{-}\frac{1}{2}$
SWIVEL EYE BOLT SNAP							
	225L	$\frac{3}{8}$	$2\text{-}\frac{1}{4}$	$\frac{1}{4}$	10	100	$3\text{-}\frac{3}{4}$
	225L	$\frac{1}{2}$	$2\text{-}\frac{3}{8}$	$\frac{1}{4}$	10	100	$3\text{-}\frac{3}{4}$
	225L	$\frac{5}{8}$	$2\text{-}\frac{3}{8}$	$\frac{1}{4}$	10	100	$3\text{-}\frac{3}{4}$

RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

STOCK
NUMBERPCS/
BOXBULK
PACKLBS/
100 PCS

SWIVEL EYE BOLT SNAP



225	1/2	3-1/8	5/16	10	100	11
225	5/8	3-3/8	5/16	10	100	11
225	3/4	3-1/2	5/16	10	100	12
225	7/8	3-9/16	5/16	10	100	12
225	1	3-11/16	5/16	10	100	12-1/2

SWIVEL EYE BOLT SNAP



225X	3/4	4	7/16	10	70	15-1/2
225X	1-1/8	4-5/16	1/2	10	50	17-1/2

UTILITY SNAP FIXED EYE



249	3/8	2	1/4	10	100	4-1/2
249	1/2	2-3/8	5/16	10	100	6-1/2
249	9/16	2-3/4	3/8	10	100	10-1/3
249	11/16	3-3/8	7/16	10	100	16-1/2
249	13/16	4	9/16	10	100	29
249	1	4-3/4	11/16	10	100	47-1/3

SWIVEL EYE BOAT SNAP



251Z	5/8	3-1/4	1/2	10	100	13
251Z	3/4	3-5/16	1/2	10	100	16

SWIVEL EYE SPRING SNAP



334	1/4	2-1/8	3/16	10	500	2-1/4
334	3/8	2-1/8	3/16	10	500	2-1/4

* All measurements are in inches
unless otherwise noted.

RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

NICKEL-PLATED ZINC
DIE CAST ALLOY

	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
HARNESS FIXED EYE SPRING SNAP							
	340	$\frac{1}{2}$	$1\frac{3}{4}$	$\frac{3}{16}$	10	500	$1\frac{3}{4}$
	340	$\frac{5}{8}$	$1\frac{3}{4}$	$\frac{3}{16}$	10	500	$1\frac{3}{4}$
	340	$\frac{3}{4}$	$1\frac{3}{4}$	$\frac{3}{16}$	10	500	$1\frac{3}{4}$
	340	1	$1\frac{7}{8}$	$\frac{3}{16}$	10	250	2
FIXED EYE SPRING SNAP							
	341	$\frac{3}{8}$	$1\frac{5}{16}$	$\frac{3}{16}$	10	500	2
HARNESS SWIVEL SPRING SNAP							
	435	$\frac{5}{8}$	$2\frac{9}{16}$	$\frac{3}{16}$	10	100	$3\frac{1}{2}$
SWIVEL EYE SPRING SNAP							
	437	$\frac{3}{8}$	$2\frac{1}{2}$	$\frac{3}{16}$	10	100	$3\frac{1}{2}$
	437	$\frac{1}{2}$	$2\frac{5}{8}$	$\frac{3}{16}$	10	100	$3\frac{1}{2}$
SWIVEL SNAP							
	830	$\frac{5}{8}$	$3\frac{3}{8}$	$\frac{3}{8}$	10	100	11
	830	$\frac{3}{4}$	$3\frac{1}{2}$	$\frac{3}{8}$	10	100	12
	830	1	$3\frac{3}{4}$	$\frac{3}{8}$	10	100	$12\frac{1}{2}$
	830	$1\frac{1}{8}$	$4\frac{3}{4}$	$\frac{9}{16}$	10	100	20
SWIVEL EYE HARNESS SNAP							
	840	1	$3\frac{1}{8}$	$\frac{3}{8}$	10	50	13

**RUST-PROOF ZINC DIE-CAST
WITH STAINLESS STEEL SPRINGS**STOCK
NUMBERPCS/
BOXBULK
PACKLBS/
100 PCS**PANIC SNAP WITH FIXED EYE**

1001

 $\frac{3}{4}$ $3\frac{7}{8}$ $\frac{1}{2}$

10

50

 $34\frac{1}{4}$ **PANIC SNAP WITH SWIVEL EYE**

1051

 $\frac{5}{8}$ $4\frac{1}{4}$ $\frac{1}{2}$

10

50

38

1051

 $1\frac{1}{8}$ $4\frac{1}{2}$ $\frac{1}{2}$

10

50

 $38\frac{3}{4}$ **SWIVEL EYE TRIGGER SNAP**

5013

 $\frac{3}{8}$ $2\frac{1}{4}$ $\frac{3}{8}$

10

200

7

5013

 $\frac{1}{2}$ $2\frac{7}{16}$ $\frac{3}{8}$

10

100

 $7\frac{1}{2}$

5013

 $\frac{5}{8}$ $2\frac{1}{2}$ $\frac{3}{8}$

10

100

 $7\frac{3}{4}$

5013

 $\frac{3}{4}$ $2\frac{5}{8}$ $\frac{3}{8}$

10

100

 $11\frac{1}{2}$ **HARNESS SWIVEL EYE TRIGGER SNAP**

5014

 $\frac{3}{4}$ $2\frac{1}{4}$ $\frac{3}{8}$

10

500

 $9\frac{1}{2}$

5014

1

 $2\frac{5}{8}$ $\frac{1}{2}$

10

500

10

LARGE SWIVEL EYE TRIGGER SNAP

5015

 $\frac{3}{4}$ $3\frac{3}{4}$ $\frac{3}{4}$

10

100

 $15\frac{1}{2}$

5015

1

 $3\frac{15}{16}$ $\frac{3}{4}$

10

100

 $18\frac{3}{4}$ **SWIVEL EYE BOLT SNAP**

5025

 $\frac{1}{2}$ $2\frac{7}{8}$ $\frac{5}{16}$

10

200

6

5025

 $\frac{5}{8}$ $2\frac{7}{8}$ $\frac{5}{16}$

10

100

6

* All measurements are in inches
unless otherwise noted.

NICKEL-PLATED ZINC
DIE CAST ALLOY

RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS


	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
KEY RING SNAP HOOK							
	5025-5	$\frac{7}{8}$	$3\frac{1}{2}$	$\frac{5}{16}$	10	100	$7\frac{1}{2}$
OPEN SWIVEL EYE SPRING SNAP							
	5037	$\frac{3}{8}$	$2\frac{9}{16}$	$\frac{3}{16}$	10	100	$3\frac{1}{3}$
SWIVEL EYE BABY BOLT SNAP							
	5079	$\frac{3}{8}$	2	$\frac{1}{4}$	10	100	$2\frac{1}{2}$

RUST-PROOF ZINC DIE-CAST CLEATS

	STOCK NUMBER			PCS/ BOX	BULK PACK	LBS/ 100 PCS	
ROPE CLEAT							
	4015	2-1/2	1	3/8	10	100	3-1/4
	4015	4-1/2	1-5/8	9/16	10	100	9-1/2
	4015	6	2	5/8	10	100	15-3/4

**RUST-PROOF ZINC DIE-CAST
PULLEYS**STOCK
NUMBERROPE
SIZEPCS/
BOXBULK
PACKLBS/
100 PCS**SWIVEL EYE PULLEY**


173	$\frac{1}{2}$	$\frac{3}{16}$	10	100	$5\text{-}\frac{1}{2}$
173	$\frac{3}{4}$	$\frac{1}{4}$	10	100	10
173	1	$\frac{9}{32}$	10	50	$13\text{-}\frac{1}{4}$
173	$1\text{-}\frac{1}{4}$	$\frac{5}{16}$	10	50	$19\text{-}\frac{3}{4}$
173	$1\text{-}\frac{1}{2}$	$\frac{3}{8}$	10	25	33
173	2	$\frac{7}{16}$	10	10	48

FIXED EYE PULLEY


174	$\frac{1}{2}$	$\frac{3}{16}$	10	100	$5\text{-}\frac{1}{2}$
174	$\frac{3}{4}$	$\frac{1}{4}$	10	100	$8\text{-}\frac{3}{4}$
174	1	$\frac{9}{32}$	10	50	$13\text{-}\frac{1}{4}$
174	$1\text{-}\frac{1}{4}$	$\frac{5}{16}$	10	50	$16\text{-}\frac{1}{2}$
174	$1\text{-}\frac{1}{2}$	$\frac{3}{8}$	10	25	$27\text{-}\frac{1}{2}$
174	2	$\frac{7}{16}$	10	10	45

FIXED EYE DOUBLE PULLEY

176	$\frac{1}{2}$	$\frac{3}{16}$	10	100	$8\text{-}\frac{3}{4}$
176	$\frac{3}{4}$	$\frac{1}{4}$	10	50	$13\text{-}\frac{1}{4}$
176	1	$\frac{9}{32}$	10	50	$19\text{-}\frac{3}{4}$
176	$1\text{-}\frac{1}{4}$	$\frac{5}{16}$	10	25	$30\text{-}\frac{3}{4}$
176	$1\text{-}\frac{1}{2}$	$\frac{3}{8}$	10	25	$57\text{-}\frac{1}{4}$
176	2	$\frac{3}{8}$	10	40	72

SWIVEL EYE DOUBLE PULLEY

178P	$\frac{1}{2}$	$\frac{3}{16}$	10	100	9
178P	$\frac{3}{4}$	$\frac{1}{4}$	10	50	14
178P	1	$\frac{9}{32}$	10	50	$20\text{-}\frac{1}{2}$
178P	$1\text{-}\frac{1}{4}$	$\frac{5}{16}$	10	25	32
178P	$1\text{-}\frac{1}{2}$	$\frac{3}{8}$	10	25	59
178P	2	$\frac{3}{8}$	10	40	70



BRASS

BRASS

Henssgen Hardware's selection of solid brass snaps are made in the sand cast method then polished to achieve a high luster.

Our products are widely used in the marine and harness industry due to their ability to hold up to the elements.

For safe working loads on the snaps in this section please call our toll free number 800-833-9598.

**SOLID BRASS
RINGS**

STOCK NUMBER	INCHES	DIAMETER INCHES	DIAMETER MM	PCS/ BOX	BULK PACK	LBS/ 100 PCS
HARNESS ROUND RINGS						
7B	1	.160	4.0	10	100	4- $\frac{1}{2}$
7B	1- $\frac{1}{8}$	.200	5.0	10	100	4- $\frac{1}{2}$
7B	1- $\frac{1}{4}$	.220	5.5	10	100	7- $\frac{1}{4}$
7B	1- $\frac{1}{2}$	.220	5.5	10	100	7- $\frac{1}{4}$
7B	1- $\frac{3}{4}$	.240	6.0	10	100	7- $\frac{1}{2}$
7B	2	.260	6.5	10	100	8- $\frac{1}{4}$

**SOLID BRASS
WITH STAINLESS STEEL SPRINGS**STOCK
NUMBERPCS/
BOXBULK
PACKLBS/
100 PCS**HARNESS SWIVEL EYE BOLT SNAP**

17B	1	3	$\frac{3}{8}$	10	50	18
-----	---	---	---------------	----	----	----

FIXED EYE HARNESS SNAP

56B	$\frac{3}{4}$	2- $\frac{3}{8}$	$\frac{5}{16}$	10	100	6- $\frac{3}{4}$
56B	1	2- $\frac{3}{8}$	$\frac{5}{16}$	10	100	7

FIXED EYE BOAT SNAP

0 - 249B	$\frac{3}{8}$	2- $\frac{1}{4}$	$\frac{1}{4}$	10	100	7
1 - 249B	$\frac{5}{8}$	3	$\frac{3}{8}$	10	100	11
2 - 249B	$\frac{11}{16}$	3- $\frac{1}{4}$	$\frac{1}{2}$	10	100	15
3 - 249B	$\frac{3}{4}$	3- $\frac{7}{8}$	$\frac{5}{8}$	10	50	29

SWIVEL EYE BOAT SNAP

1 - 251B	$\frac{5}{8}$	3- $\frac{1}{4}$	$\frac{3}{8}$	10	100	14- $\frac{1}{2}$
2 - 251B	$\frac{3}{4}$	3- $\frac{3}{4}$	$\frac{1}{2}$	10	100	19- $\frac{1}{2}$
3 - 251B	$\frac{3}{4}$	3- $\frac{7}{8}$	$\frac{5}{8}$	10	50	31- $\frac{1}{2}$

* All measurements are in inches
unless otherwise noted.

SOLID BRASS WITH STAINLESS STEEL SPRINGS

STOCK
NUMBERPCS/
BOXBULK
PACKLBS/
100 PCS

SWIVEL SPRING SNAP



830B

 $\frac{3}{4}$ $3\text{--}\frac{1}{2}$ $\frac{5}{16}$

10

100

16

SWIVEL SPRING SNAP



830HB

 $\frac{7}{8}$ $4\text{--}\frac{3}{8}$ $\frac{3}{8}$

10

50

28

OPEN EYE SWIVEL SNAP



836BZ

1

 $4\text{--}\frac{5}{8}$ $\frac{1}{2}$

10

50

29

SWIVEL QUICK RELEASE



1053B

1

 $4\text{--}\frac{1}{4}$ $\frac{5}{8}$

10

50

41

SWIVEL QUICK RELEASE



2002B

 $\frac{3}{4}$ $3\text{--}\frac{5}{8}$ $\frac{3}{4}$

10

50

23

SNAP HOOK



2311B

 $\frac{3}{4}$ $4\text{--}\frac{1}{8}$ $\frac{5}{9}$

10

25

 $31\text{--}\frac{1}{2}$

2311B

 $1\text{--}\frac{1}{8}$ $4\text{--}\frac{3}{4}$ $\frac{3}{4}$

10

25

46

BRASS

**SOLID BRASS
WITH STAINLESS STEEL SPRINGS**STOCK
NUMBERPCS/
BOXBULK
PACKLBS/
100 PCS**BULL SNAP SWIVEL EYE**

3142B

1

4

 $\frac{1}{2}$

10

50

35

TRIGGER SNAP

5013B

 $\frac{1}{2}$ $2\frac{1}{2}$ $\frac{7}{16}$

10

100

10

HARNESS EYE TRIGGER SNAP

5014B

 $\frac{3}{4}$ $2\frac{5}{8}$ $\frac{7}{16}$

10

100

11

5014B

1

 $2\frac{5}{8}$ $\frac{7}{16}$

10

100

12

SWIVEL ROUND EYE

178B

 $\frac{3}{4}$ $2\frac{5}{8}$ $\frac{3}{4}$

10

100

13

DOUBLE END BOLT SNAP

161B

-

 $3\frac{1}{2}$ $\frac{5}{16}$

10

100

 $11\frac{1}{4}$

162B

-

4

 $\frac{7}{16}$

10

100

 $11\frac{1}{4}$

163B

-

 $4\frac{3}{4}$ $\frac{1}{2}$

10

50

 $11\frac{3}{4}$ **HARNESS SWIVEL EYE BOLT SNAP**

170B

 $\frac{3}{4}$

3

 $\frac{5}{16}$

10

100

8

* All measurements are in inches
unless otherwise noted.

SOLID BRASS WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
SWIVEL EYE BOLT SNAP							
	225B	$\frac{3}{8}$	3	$\frac{1}{4}$	10	100	7
	225B	$\frac{1}{2}$	3	$\frac{1}{4}$	10	100	7
	225B	$\frac{5}{8}$	$3\frac{1}{8}$	$\frac{5}{16}$	10	100	$12\frac{3}{4}$
	225B	$\frac{3}{4}$	$3\frac{1}{8}$	$\frac{5}{16}$	10	50	14
	225B	1	$3\frac{5}{8}$	$\frac{3}{8}$	10	50	$17\frac{1}{4}$
	225B	$1\frac{1}{4}$	$4\frac{3}{4}$	$\frac{1}{2}$	10	50	33
OPEN EYE SWIVEL BOLT SNAP							
	226BZ	$\frac{3}{4}$	$3\frac{3}{8}$	$\frac{5}{16}$	10	100	16
	226BZ	1	$4\frac{3}{4}$	$\frac{7}{16}$	10	50	25
SWIVEL EYE QUICK SNAP							
	227B	$\frac{3}{4}$	$3\frac{5}{8}$	$\frac{3}{8}$	10	100	16
OPEN EYE BOLT SNAP							
	231B	$\frac{5}{8}$	$3\frac{1}{2}$	$\frac{3}{8}$	10	100	13
OPEN EYE BOLT SNAP							
	232B	$\frac{1}{2}$	4	$\frac{7}{16}$	10	100	19

BRASS

FIXED EYE SPRING SNAP



STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
ING SNAP						
341B	3/8	1-5/16	3/16	10	500	2

NOTES:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



STAINLESS STEEL

STAINLESS STEEL

The snaps found in this section are crafted from a 316 grade stainless steel and stand up to any salt water application. The process used to make these snaps is the lost wax method noted for uniform material cross section therefore creating a consistent strength.

For safe working loads on the snaps in this section please call our toll free number 800-833-9598.

Stainless Steel Snaps are used in highly corrosive situations or where you need a snap that will not rust and will last a long time. Henssgen Hardware's Stainless Steel Snaps are equipped with stainless steel Springs and are used throughout the marine industry.

**316 STAINLESS STEEL POLISHED
WITH STAINLESS STEEL SPRINGS**STOCK
NUMBERPCS/
BOXBULK
PACKLBS/
100 PCS**DOUBLE END BOLT SNAP**

162SS	-	4	$\frac{3}{8}$	10	100	15
-------	---	---	---------------	----	-----	----

SWIVEL EYE BOLT SNAP

225SS	$\frac{3}{8}$	$2\frac{1}{2}$	$\frac{1}{4}$	10	100	4
225SS	$\frac{1}{2}$	3	$\frac{9}{32}$	10	100	7
225SS	$\frac{5}{8}$	$3\frac{3}{8}$	$\frac{11}{32}$	10	100	13
225SS	$\frac{3}{4}$	$3\frac{1}{2}$	$\frac{11}{32}$	10	100	14
225SS	$1\frac{1}{4}$	$4\frac{1}{2}$	$\frac{3}{8}$	10	50	25

STOCK
NUMBERDIAMETER
MM/INCHESPCS/
BOXBULK
PACKLBS/
100 PCS**ALL PURPOSE SNAP**

245SS	$5\frac{3}{16}$	2	$\frac{1}{4}$	10	100	$4\frac{1}{2}$
245SS	$6\frac{1}{4}$	$2\frac{3}{8}$	$\frac{5}{16}$	10	50/200	$6\frac{1}{2}$
245SS	$7\frac{9}{32}$	$2\frac{3}{4}$	$\frac{3}{8}$	10	100	$9\frac{1}{2}$
245SS	$8\frac{7}{16}$	$3\frac{1}{8}$	$\frac{7}{16}$	10	100	$14\frac{1}{2}$
245SS	$9\frac{3}{8}$	$3\frac{9}{16}$	$\frac{15}{32}$	10	75	$19\frac{1}{2}$
245SS	$10\frac{13}{32}$	4	$\frac{1}{2}$	10	50	$28\frac{1}{2}$
245SS	$11\frac{7}{16}$	$4\frac{3}{4}$	$\frac{11}{16}$	10	25	37

ALL PURPOSE SNAP WITH GROMMET EYE

2450SS	$5\frac{3}{16}$	2	$\frac{1}{4}$	10	100	5
2450SS	$6\frac{1}{4}$	$2\frac{3}{8}$	$\frac{5}{16}$	10	50/200	7
2450SS	$7\frac{9}{32}$	$2\frac{3}{4}$	$\frac{3}{8}$	10	100	10
2450SS	$8\frac{7}{16}$	$3\frac{1}{8}$	$\frac{7}{16}$	10	100	15
2450SS	$9\frac{3}{8}$	$3\frac{9}{16}$	$\frac{15}{32}$	10	75	20
2450SS	$10\frac{13}{32}$	4	$\frac{1}{2}$	10	50	29
2450SS	$11\frac{7}{16}$	$4\frac{3}{4}$	$\frac{11}{16}$	10	25	38

* All measurements are in inches
unless otherwise noted.

316 STAINLESS STEEL POLISHED WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
FIXED EYE BOAT SNAP							
	0 - 249SS	$\frac{3}{8}$	$2\text{-}\frac{1}{16}$	$\frac{1}{4}$	10	100	5
	1 - 249SS	$\frac{5}{8}$	$2\text{-}\frac{7}{8}$	$\frac{7}{16}$	10	100	9
	2 - 249SS	$\frac{11}{16}$	$3\text{-}\frac{3}{16}$	$\frac{9}{16}$	10	100	14
	3 - 249SS	$\frac{3}{4}$	$3\text{-}\frac{13}{16}$	$\frac{5}{8}$	10	50	26

SWIVEL EYE BOAT SNAP

	STOCK NUMBER	DIAMETER MM/INCHES	INSIDE LENGTH	LINK OPENS	PCS/ BOX	BULK PACK	LBS/ 100 PCS
	1 - 251SS	$\frac{11}{16}$	$3\text{-}\frac{3}{8}$	$\frac{7}{16}$	10	100	13
	2 - 251SS	$\frac{13}{16}$	4	$\frac{15}{32}$	10	100	21
	3 - 251SS	$\frac{13}{16}$	$4\text{-}\frac{3}{4}$	$\frac{1}{2}$	10	50	33

STAINLESS STEEL

	STOCK NUMBER	DIAMETER MM/INCHES	INSIDE LENGTH	LINK OPENS	PCS/ BOX	BULK PACK	LBS/ 100 PCS
QUICK LINKS							
	508SS	$3.5/\frac{1}{8}$	$1\text{-}\frac{1}{8}$	$\frac{3}{16}$	10	100	2
	508SS	$5/\frac{3}{16}$	$1\text{-}\frac{1}{2}$	$\frac{1}{4}$	10	100	5
	508SS	$6/\frac{1}{4}$	$1\text{-}\frac{3}{4}$	$\frac{9}{32}$	10	50/200	$8\text{-}\frac{1}{2}$
	508SS	$8/\frac{5}{16}$	$2\text{-}\frac{1}{4}$	$\frac{3}{8}$	10	100	18
	508SS	$9/\frac{3}{8}$	$2\text{-}\frac{7}{16}$	$\frac{7}{16}$	10	50	$20\text{-}\frac{1}{2}$

AISI 304 STAINLESS STEEL

* All measurements are in inches
unless otherwise noted.

	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
SWIVEL ROUND EYE							
	4293.5SS	$\frac{1}{4}$	$1\text{-}\frac{9}{16}$	$\frac{7}{32}$	10	500	$\frac{2}{3}$
	4293.5SS	$\frac{3}{8}$	2	$\frac{1}{4}$	10	500	$1\text{-}\frac{1}{3}$

NOTES:

[illegible]



MALLEABLE IRON

MALLEABLE IRON

The snaps found in this section are made of malleable iron in the sand cast method tumbled smooth and then zinc or nickel plated to protect from rust. These snaps are widely used in farming and ranching as they give a rugged appearance and hold up well to tough use.

For safe working loads on these snaps please call 1 800 833 9598.

**NICKEL PLATED
MALLEABLE IRON**STOCK
NUMBERPCS/
BOXBULK
PACKLBS/
100 PCS**HEAVY BULL SNAP SWIVEL EYE**

333

1

5

 $\frac{9}{16}$

10

25

 $54\frac{1}{4}$ **EXTRA HEAVY BULL SNAP SWIVEL EYE**

333H

1

 $5\frac{3}{16}$ $\frac{5}{8}$

10

25

72

BULL SNAP FIXED EYE

3141

 $\frac{7}{8}$ $3\frac{3}{4}$ $\frac{9}{16}$

10

50

25

BULL SNAP ROUND SWIVEL EYE

3142

 $\frac{7}{8}$ $3\frac{3}{4}$ $\frac{9}{16}$

10

50

 $40\frac{1}{2}$ **BULL SNAP HARNESS SWIVEL EYE**

3142

1

4

 $\frac{1}{2}$

10

25

 $43\frac{3}{4}$ **FIXED EYE SNAP**

822

 $\frac{5}{8}$

3

 $\frac{3}{8}$

10

100

 $7\frac{3}{4}$

** All measurements are in inches
unless otherwise noted.*

NICKEL PLATED MALLEABLE IRON

	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
DOUBLE SNAP							
	853	-	3- ³ / ₄	³ / ₈	10	100	11
	855	-	5- ³ / ₁₆	1 ¹ / ₂	10	50	34- ¹ / ₄

PANIC SNAP WITH HARNESS SWIVEL EYE

	1002M	1	4- ¹ / ₂	1 ¹ / ₂	10	100	38- ¹ / ₂
---	-------	---	--------------------------------	-------------------------------	----	-----	---------------------------------

SNAP HOOK

	2311M	⁵ / ₈	4	⁵ / ₈	10	100	24- ³ / ₄
--	-------	-----------------------------	---	-----------------------------	----	-----	---------------------------------

ZINC PLATED MALLEABLE IRON

** All measurements are in inches
unless otherwise noted.*

	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
--	-----------------	---	---	---	-------------	--------------	-----------------

GATE HOOK W/STAPLES

	444	⁵ / ₁₆	5	⁵ / ₁₆	10	50	19
---	-----	------------------------------	---	------------------------------	----	----	----

OPEN EYE SNAP

	825	³ / ₈	3	⁵ / ₁₆	10	100	12- ¹ / ₂
	826	1 ¹ / ₂	4- ³ / ₁₆	⁷ / ₁₆	10	100	22
	827	⁵ / ₈	4- ⁷ / ₈	⁹ / ₁₆	10	50	37- ¹ / ₂

**ZINC PLATED
MALLEABLE IRON**

	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
SWIVEL EYE BOLT SNAP							
	225M	1/2	4	3/8	10	100	13
	225M	5/8	4-1/16	3/8	10	50	14
	225M	3/4	4-1/8	3/8	10	50	14
	225M	1	4-5/8	3/8	10	50	21
	225M	1-1/8	5-1/16	9/16	10	25	35
	225MJ	1	6-1/8	5/8	10	100	50

OPEN EYE BOLT SNAP							
	230	3/8	3-1/8	5/16	10	100	8-3/4
	231	3/8	3-1/2	5/16	10	100	14-1/2
	232	1/2	4	5/16	10	100	15-3/4
	240	1/2	4-1/4	1/2	10	50	20
	241	1/2	5	9/16	10	25	40
	242	5/8	6	9/16	10	25	55

**CABLE
HARDWARE**

	STOCK NUMBER	CABLE DIAMETER	BULK PACK PCS/BOX	STD. PACK PCS/BOX	SHELF PACK PCS/BOX	LBS/ 100 PCS
WIRE ROPE CLIPS						
	513	1/6	1000	100	25	5
	513	1/8	1000	100	25	3-1/2
	513	3/16	1000	100	25	6
	513	1/4	500	100	25	12-3/4
	513	5/16	500	100	25	13
	513	3/8	250	100	25	21-3/4
	513	7/16	200	50	10	37
	513	1/2	200	50	10	38
	513	5/8	100	25	10	50
	513	3/4	100	25	10	65
	513	7/8	50	10	5	140
	513	1	50	10	5	156



NORMAL STEEL

The snaps and connectors found in this section are manufactured to exacting standards from machine formed steel wire or drop forged steel tumbled smooth and plated to protect against rust.

We are able to offer many simple useful designs that work well with chain and cable.

For safe working loads on the snaps and connectors in this section please call our toll free number shown above.

NORMAL STEEL

NORMAL STEEL SNAPS AND CONNECTORS

	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
TIE OUT STAKE -NICKEL PLATED							



47	1- ¹ / ₄	16- ³ / ₄	-	-	-	97
----	--------------------------------	---------------------------------	---	---	---	----

HOOF PICK - NICKEL PLATED, PLASTIC COATED HANDLE



860S	-	5- ⁵ / ₈	-	10	100	15- ³ / ₄
------	---	--------------------------------	---	----	-----	---------------------------------

QUICK LINKS - ZINC PLATED



STOCK NUMBER	DIAMETER MM/INCHES	INSIDE LENGTH	LINK OPENS	PCS/ BOX	BULK PACK	LBS/ 100 PCS
508	3.5/ ¹ / ₈	1- ¹ / ₈	³ / ₁₆	10	100	2
508	5/ ³ / ₁₆	1- ¹ / ₂	¹ / ₄	10	100	5- ¹ / ₄
508	6/ ¹ / ₄	1- ³ / ₄	⁹ / ₃₂	10	100	8- ¹ / ₂
508	8/ ⁵ / ₁₆	2- ¹ / ₄	³ / ₈	10	100	18- ¹ / ₄
508	9/ ³ / ₈	2- ⁷ / ₁₆	⁷ / ₁₆	10	50	25
508	12/ ¹ / ₂	3- ¹ / ₄	⁹ / ₁₆	10	25	52- ³ / ₄

NORMAL STEEL

ROPE CLAMP - ZINC PLATED OR BRASS PLATED



STOCK NUMBER	ROPE SIZE			PCS/ BOX	BULK PACK	LBS/ 100 PCS
595	⁵ / ₈	2	1- ¹ / ₈	10	100	4- ¹ / ₄
596	¹ / ₂	1- ⁷ / ₁₆	1	10	100	6
597	³ / ₈	⁷ / ₈	⁷ / ₈	10	100	3

* All measurements are in inches
unless otherwise noted.

NORMAL STEEL SNAPS AND CONNECTORS

	STOCK NUMBER		DIAMETER INCHES	DIAMETER MM	PCS/ BOX	BULK PACK	LBS/ 100 PCS
HITCHING RING W/ SCREW EYE - ZINC PLATED							



2-14H	4	$\frac{9}{32}$	7	10	50	$22\frac{1}{4}$
-------	---	----------------	---	----	----	-----------------

HITCHING RING W/ 4 HOLE MOUNTING PLATE - ZINC PLATED



2-24H	$2\frac{1}{2} \times 1\frac{3}{4}$	$\frac{9}{32}$	7	10	50	25
-------	------------------------------------	----------------	---	----	----	----



	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
SIMPLEX SNAP WITH SWIVEL - NICKEL PLATED							



	WITHOUT SWIVEL						
734	1	$\frac{5}{16}$	$\frac{1}{8}$	25	2000	$\frac{1}{2}$	
734	$1\text{-}\frac{3}{16}$	$\frac{5}{16}$	$\frac{5}{32}$	25	1000	$\frac{2}{3}$	
734	$1\text{-}\frac{3}{8}$	$\frac{5}{16}$	$\frac{3}{16}$	25	1000	$\frac{3}{4}$	
734	$1\text{-}\frac{9}{16}$	$\frac{3}{8}$	$\frac{7}{32}$	25	500	$1\text{-}\frac{1}{3}$	
734	$1\text{-}\frac{3}{4}$	$\frac{3}{8}$	$\frac{1}{4}$	25	500	$1\text{-}\frac{1}{2}$	
734	2	$\frac{1}{2}$	$\frac{1}{84}$	25	250	$2\text{-}\frac{2}{3}$	

SIMPLEX SNAP - NICKEL PLATED



734.5	$1\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{32}$	25	500	$\frac{1}{3}$
734.5	$1\frac{3}{8}$	$\frac{1}{4}$	$\frac{3}{16}$	25	500	$\frac{3}{8}$
734.5	$1\frac{9}{16}$	$\frac{1}{4}$	$\frac{7}{32}$	25	500	$\frac{2}{3}$
734.5	$1\frac{3}{4}$	$\frac{5}{16}$	$\frac{1}{4}$	25	250	1
734.5	2	$\frac{3}{8}$	$\frac{1}{4}$	25	250	$1\frac{1}{3}$

NORMAL STEEL

NORMAL STEEL SNAPS AND CONNECTORS

	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
FLAT WIRE SIMPLEX SNAP - YELLOW ZINC PLATED							
	1811	1	$\frac{5}{32}$	$\frac{5}{32}$	-	3000	.015


	STOCK NUMBER	DIAMETER MM/INCHES			PCS/ BOX	BULK PACK	LBS/ 100 PCS
REPAIR LINKS - ZINC PLATED							
	89	-/ $\frac{1}{8}$	$\frac{3}{4}$	$\frac{1}{8}$	10	100	1
	89	-/ $\frac{3}{16}$	1	$\frac{3}{16}$	10	100	2- $\frac{3}{4}$
	89	-/ $\frac{1}{4}$	1- $\frac{1}{4}$	$\frac{1}{4}$	10	100	4- $\frac{3}{4}$
	89	-/ $\frac{5}{16}$	1- $\frac{1}{2}$	$\frac{5}{16}$	10	100	12- $\frac{1}{3}$
	89	-/ $\frac{3}{8}$	1- $\frac{5}{8}$	$\frac{3}{8}$	10	25	21

	ALL PURPOSE SNAP - ZINC PLATED						
	245	5/ $\frac{3}{16}$	2	$\frac{1}{4}$	10	100	3
	245	6/ $\frac{1}{4}$	2- $\frac{3}{8}$	$\frac{5}{16}$	10	50/200	6
	245	7/ $\frac{9}{32}$	2- $\frac{3}{4}$	$\frac{3}{8}$	10	100	10
	245	8/ $\frac{5}{16}$	3- $\frac{1}{8}$	$\frac{7}{16}$	10	100	14- $\frac{1}{2}$
	245	9/ $\frac{3}{8}$	3- $\frac{9}{16}$	$\frac{15}{32}$	10	75	19- $\frac{1}{2}$
	245	10/ $\frac{13}{32}$	4	$\frac{1}{2}$	10	50	28
	245	11/ $\frac{7}{16}$	4- $\frac{3}{4}$	$\frac{11}{16}$	10	25	39- $\frac{1}{2}$
	245	13/ $\frac{1}{2}$	6- $\frac{3}{8}$	$\frac{7}{8}$	10	50	77

	ALL PURPOSE SNAP WITH GROMMET EYE - ZINC PLATED						
	2450	6/ $\frac{1}{4}$	2- $\frac{3}{8}$	$\frac{5}{16}$	10	100	6- $\frac{1}{4}$
	2450	8/ $\frac{5}{16}$	3- $\frac{1}{8}$	$\frac{7}{16}$	10	100	15

* All measurements are in inches
unless otherwise noted.

NORMAL STEEL SNAPS AND CONNECTORS

	STOCK NUMBER	DIAMETER INCHES			PCS/ BOX	BULK PACK	LBS/ 100 PCS
BIT SNAP - ZINC PLATED							
	422	$\frac{3}{16}$	$1\frac{1}{2}$	$\frac{1}{8}$	10	100	$3\frac{1}{4}$
BREACHING SNAP - ZINC PLATED							
	424	$\frac{1}{4}$	$2\frac{1}{2}$	$\frac{5}{16}$	10	100	$6\frac{1}{4}$

NORMAL STEEL CHAIN HARDWARE

* All measurements are in inches
unless otherwise noted.

	STOCK NUMBER	SIZE OF CHAIN	DIMENSIONS IN INCHES				LBS/ EACH PCS
			W	P	H	R	
CLEVIS GRAB HOOK							
	330	$\frac{1}{4}$	$\frac{7}{16}$	$\frac{3}{8}$	$\frac{11}{32}$	$1\frac{13}{16}$	0.36
	330	$\frac{5}{16}$	$\frac{1}{2}$	$\frac{7}{16}$	$\frac{7}{16}$	$2\frac{5}{32}$	0.63
	330	$\frac{3}{8}$	$\frac{19}{32}$	$\frac{15}{32}$	$\frac{1}{2}$	$2\frac{15}{32}$	1.00
CLEVIS SLIP HOOK							
	331	$\frac{1}{4}$	$\frac{7}{16}$	$\frac{3}{8}$	$\frac{15}{16}$	$2\frac{9}{16}$	0.44
	331	$\frac{5}{16}$	$\frac{13}{32}$	$\frac{7}{16}$	$1\frac{1}{16}$	$2\frac{23}{32}$	0.75
	331	$\frac{3}{8}$	$\frac{19}{32}$	$\frac{15}{32}$	$1\frac{5}{16}$	$3\frac{1}{4}$	1.13

NORMAL STEEL

* All measurements are in inches
unless otherwise noted.

NORMAL STEEL CHAIN HARDWARE

STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
STEEL HOOK - ZINC PLATED						
2311	5/8	3-1/2	1/2	10	25	30-1/2

DROP FORGED ANCHOR SHACKLE W/ SCREW PIN - GALVANIZED



STOCK NUMBER	BOW DIAMETER	PIN DIAMETER	INSIDE WIDTH x LENGTH	BOW WIDTH	APPROX. WEIGHT EACH	SAFE WORKING LOAD
270	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{3}{8} \times \frac{7}{8}$	$\frac{21}{32}$	0.07	725
270	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{1}{2} \times 1\frac{1}{8}$	$\frac{25}{32}$	0.11	1100
270	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{9}{16} \times 1\frac{1}{4}$	$\frac{13}{16}$	0.18	1650
270	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{5}{8} \times 1\frac{7}{16}$	1	0.31	2200
270	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{3}{4} \times 1\frac{11}{16}$	$1\frac{1}{8}$	0.42	3000
270	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{7}{8} \times 2$	$1\frac{1}{4}$	0.75	4000

* All measurements are in inches
unless otherwise noted.

NORMAL STEEL HARNES RINGS

STOCK NUMBER		WIRE DIAMETER INCHES	WIRE DIAMETER MM	PCS/ BOX	BULK PACK	LBS/ 100 PCS
WELDED DEE RING - NICKEL PLATED						
3250	$\frac{5}{8}$	0.155	3.8	10	250	$2\frac{3}{4}$
3250	$\frac{3}{4}$	0.155	3.8	10	250	3
3250	$\frac{7}{8}$	0.200	5.0	10	250	$3\frac{3}{4}$
3250	1	0.200	5.0	10	100	$3\frac{1}{2}$
3250	$1\frac{1}{4}$	0.240	6.0	10	100	6
3250	$1\frac{1}{2}$	0.240	6.0	10	100	9
3250	$1\frac{3}{4}$	0.260	6.5	10	50	$9\frac{1}{2}$
3250	2	0.260	6.5	10	50	$12\frac{1}{2}$



* All measurements are in inches
unless otherwise noted.

NORMAL STEEL HARNESS RINGS

STOCK NUMBER WIRE GAUGE	DIAMETER	WIRE DIAMETER INCHES	WIRE DIAMETER MM	PCS/ BOX	BULK PACK	LBS/ 100 PCS
----------------------------------	----------	----------------------------	------------------------	-------------	--------------	--------------------

WELDED ROUND RING - NICKEL PLATED



0	3	0.297	7.50	10	25	20
0	3-1/2	0.297	7.50	10	25	24
1	3	0.281	7.00	10	25	18
2	1-1/2	0.265	6.50	10	50	8-3/4
2	1-3/4	0.265	6.50	10	50	10
2	2	0.265	6.50	10	50	11-1/4
2	2-1/4	0.265	6.50	10	50	12
2	2-1/2	0.265	6.50	10	50	13-1/2
3	1-1/2	0.250	6.00	10	50	7
3	1-3/4	0.250	6.00	10	50	8
3	2	0.250	6.00	10	50	9
4	1-1/4	0.218	5.50	10	100	5
4	1-1/2	0.218	5.50	10	100	6
7	1/2	0.125	3.00	10	1000	1-1/2
7	5/8	0.156	4.00	10	1000	1-3/4
7	3/4	0.187	4.50	10	1000	2
7	7/8	0.187	4.50	10	1000	2-1/4
7	1	0.187	4.50	10	1000	2-1/2
7	1-1/8	0.187	4.50	10	1000	2-3/4
7	1-1/4	0.203	5.00	10	1000	3

CABLE HARDWARE



WIRE ROPE THIMBLES - ZINC PLATED

STOCK NUMBER	CABLE DIAMETER	OVERALL LENGTH	INSIDE LENGTH	PCS/ BOX	BULK PACK
842	1/8	1-3/4	1-1/4	10	100
842	3/16	1-3/4	1-1/4	10	100
842	1/4	2	1-1/2	10	100
842	5/16	2	1-1/2	10	100
842	3/8	2-3/8	1-5/8	10	50
842	1/2	3-1/8	2	10	25

NORMAL STEEL

NICKEL-PLATED FORGED STEEL SNAPS AND CONNECTORS



FRENCH SNAP



STOCK NUMBER	LENGTH W/O SWIVEL MM/INCHES	OVERALL LENGTH MM/INCHES	SNAP OPENING	PCS/ BOX	LBS. 100 PCS
60020	50/ 2 *	3- ³ / ₈	⁵ / ₃₂	50	4
60020	60/ 2- ³ / ₈	4- ⁹ / ₁₆	³ / ₁₆	50	8
60020	70/ 2- ³ / ₄	4- ¹ / ₂	³ / ₁₆	50	8
60020	85/ 3- ³ / ₈ **	5- ¹ / ₄	⁷ / ₃₂	50	12
60050	90/ 3- ⁵ / ₈ **	5- ⁵ / ₈	¹ / ₄	25	18

Herm Sprenger® Scissor Snaps are Made in Germany with welded swivel, easy fastening and release.

** Also available in Brass and Chrome Plating*

*** Also available in Chrome Plating.*

CUSTOM CHAINS



We at Henssgen Hardware are proud to be an agent of **Herm Sprenger® Custom Chains**.

We guarantee that our chains comply with all U.S. National Association of Chain Manufacturers' (NACM) requirements.

Our chains are made of corrosion-resistant and rust-proof stainless steel and we assure you that they will exceed your expectations. We offer custom chains in the following finishes:

- Stainless Steel
- Chrome-Plated Steel
- Satin Chrome-Plated Steel
- Black Stainless Steel
- Nickel-Plated Steel
- Gold-Plated Steel
- Polished Brass
- Curogan

We provide custom quotes for all chain orders. Whether you need one chain that's just one foot long or 100 chains that are 30 feet long each - or more! - We will meet with you either in person or virtually to determine your exact requirements. We'll then work within your stated budget to ensure you receive the exact custom chains made at the weight, load capability, choice of metal, etc. that you, our customer needs to get the job done.

No matter if you're looking for a chain for your farm, a racehorse stable, a dairy, a fishing fleet, a zoo, or animal leads in general, contact us at Henssgen Hardware for more information about our **Herm Sprenger® Custom Chains** today.

Index by Stock Number

STOCK #	PAGE #	STOCK #	PAGE #	STOCK #	PAGE #
0	33	225SS	20	822	24
1	33	225X	8	825	25
2	33	226BZ	17	826	25
3	33	227B	17	827	25
4	33	230	26	830	9
7	33	231	26	830B	15
7B	14	231B	17	830HB	15
14H	29	232	26	836BZ	15
17	6	232B	17	840	9
17B	14	240	26	842	33
24H	29	241	26	853	25
25	6	242	26	855	25
47	28	245	30	860S	28
56B	14	245SS	20	1001	10
57	6	249	8	1002M	25
58	6	249B	14	1051	10
89	30	249SS	21	1053B	15
125	6	251B	14	1811	30
161	6	251Z	8	2002B	15
161B	16	270	32	2311	32
162	6	330	31	2311B	15
162B	16	331	31	2311M	25
162SS	20	333	24	2450	30
163	6	333H	24	2450SS	20
163B	16	334	8	3141	24
170B	16	340	9	3142	24
173	12	341	9	3142B	16
174	12	341B	18	3250	32
176	12	422	31	4015	11
178	7	424	31	4293.5SS	21
178B	16	435	9	5013	10
178P	12	437	9	5013B	16
179	7	444	25	5014	10
200	7	508	28	5014B	16
202	7	508SS	21	5015	10
222	7	513	26	5025	10
225	8	595	28	5025-5	11
225B	17	596	28	5037	11
225L	7	597	28	5079	11
225M	26	734	29	60020	34
225MJ	26	734.5	29		

