



# HENSSGEN

● **HARDWARE CORP** ●

43 EVERTS AVENUE  
PO BOX 4856  
QUEENSBURY, NY 12804

800 833 9598  
518-793-0085 (FAX)  
[www.henssgenhardware.com](http://www.henssgenhardware.com)





## About Us - Snap Hooks & Pulleys Distributor

Henssgen Hardware was established in 1978 to bring quality snap hook hardware to American distributors and manufacturers from our overseas factories in Germany. We stock over 100 different styles of the most popular snap hooks, pulleys, quick links and assorted hardware in all sizes for Farm, Home, and Sport, and have many more items available.

We have over 30 years' experience with our overseas factories from Germany, Taiwan and China.

Mrs. Novak has obtained Women's Business Enterprise/Woman Owned Small Business certification for Henssgen Hardware Corporation and continues to carry on the tradition of providing high quality rigging hardware to the company's customer base. Mrs. Novak has a strong background in the service industry and providing exceptional customer service to her customers is a core value within the organization. She maintains excellent relationships with the long term suppliers of Henssgen Hardware and will not sacrifice on quality for price. We continue to work with factories in Germany as well as Taiwan and China.

We will constantly strive to exceed our customer's expectations and seek out the highest quality products for our inventory. Our core values are service, quality and dependability.

Henssgen Hardware is a distributor of rigging hardware manufactured from Steel, Stainless Steel, Malleable Iron, Die Cast Zinc Alloy, and Solid Brass, that can be used with all types of rope, wire rope, chain, cable, leather and nylon straps. For strength requirements on any of our rigging hardware call or email us.

Please call our toll free number 800-833-9598 and talk to any of our knowledgeable staff to discuss your particular needs. We have the resources available to help you find what you're looking for. Your satisfaction is guaranteed with every order.



**Pricing:** FOB Queensbury, NY. All shipments will be made at Net Prices in effect at time of shipment.

**Terms:** Net 30 days, Open Account to Customers having satisfactory credit ratings, all others COD, or Credit Card



**Packing:** Orders are shipped minimum 10 pcs. per box, no broken boxes.

**Minimum Order Charge:** \$50.00 order fulfilled for full boxed quantities only. Orders less than \$50.00 subject to a \$10.00 surcharge.

**Returns:** Items returned for credit will be subject to a 25% restocking fee.





## NICKEL-PLATED ZINC DIE-CAST ALLOY

Henssgen Hardware's fixed and swivel snap hooks are Die Cast from a Zinc Alloy and then nickel plated to a high luster.

Henssgen Hardware's Zinc Alloy is rust resistant and is used outdoors in fresh water and salt water environments. To add to the rust resistant quality Henssgen Hardware equips each Die Cast Zinc Alloy Snap with a Stainless Steel Spring.

The Die Cast process is done under extreme pressure which results in a very uniform material cross section void of internal defects, therefore creating a very consistent product with regard to finish and strength. For the safe working loads on the Die Cast Snaps in this section call our toll free number shown above.

\* All measurements are in inches unless otherwise noted.

NICKEL-PLATED ZINC DIE CAST ALLOY

## RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
--------------	--------------	----------------	--------------	----------	-----------	--------------

### HARNESS SWIVEL EYE BOLT SNAP



017	1	3-1/8	5/16	10	100	10-1/8
-----	---	-------	------	----	-----	--------

### HARNESS FIXED EYE BOLT SNAP



025	1	3-1/8	5/16	10	100	7-1/2
-----	---	-------	------	----	-----	-------

### DELUXE SWIVEL EYE BOLT SNAP



057	5/8	3-1/4	5/16	10	100	9-1/4
057	3/4	3-3/8	5/16	10	100	9-1/4

### DELUXE HARNESS SWIVEL SNAP



058	1	3	5/16	10	100	10-3/4
-----	---	---	------	----	-----	--------

### FIXED EYE BOLT SNAP



125	1/2	3-5/16	3/8	10	100	7-1/4
125	5/8	3-3/8	5/16	10	100	7
125	3/4	3-1/2	5/16	10	100	7-1/2

### DOUBLE END BOLT SNAP





161	-	3-1/2	5/16	10	100	11-1/2
162	-	4	5/16	10	100	12
163	-	4-1/2	5/16	10	100	12


*\* All measurements are in inches unless otherwise noted.*


## RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS


NICKEL-PLATED ZINC DIE CAST ALLOY


	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
<b>SWIVEL ROUND EYE</b>							
	178	1/2	2	1/2	10	100	4-3/4
	178	5/8	2-3/8	5/8	10	100	5-1/2
	178	3/4	2-5/8	3/4	10	100	6-1/2
	178	1	3	1	10	100	10

<b>SWIVEL HARNESS EYE</b>							
	179	1	1-7/8	1	10	100	9-3/4

<b>HARNESS FIXED EYE SPRING SNAP</b>							
	200	3/4	2-11/16	3/8	10	100	9
	200	1	3	3/8	10	100	9-1/3

<b>FIXED EYE SPRING SNAP</b>							
	202	5/8	3-1/8	3/8	10	100	8-1/2


<b>SWIVEL EYE SPRING SNAP</b>							
	222	3/4	3-5/8	3/8	10	100	10-1/2


<b>SWIVEL EYE BOLT SNAP</b>							
	225L	3/8	2-1/4	1/4	10	100	3-3/4
	225L	1/2	2-3/8	1/4	10	100	3-3/4
	225L	5/8	2-3/8	1/4	10	100	3-3/4


\* All measurements are in inches unless otherwise noted.


NICKEL-PLATED ZINC DIE CAST ALLOY


## RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
<b>SWIVEL EYE BOLT SNAP</b>							
	225	1/2	3-1/8	5/16	10	100	11
	225	5/8	3-3/8	5/16	10	100	11
	225	3/4	3-1/2	5/16	10	100	12
	225	7/8	39-9/16	5/16	10	100	12
	225	1	3-11/16	5/16	10	100	12-1/2

<b>SWIVEL EYE BOLT SNAP</b>							
	225X	3/4	4	7/16	10	70	15-1/2
	225X	1-1/8	4-5/16	1/2	10	50	17-1/2

<b>UTILITY SNAP FIXED EYE</b>							
	249	3/8	2	1/4	10	100	4-1/2
	249	1/2	2-3/8	5/16	10	100	6-1/2
	249	9/16	2-3/4	3/8	10	100	10-1/3
	249	11/16	3-3/8	7/16	10	100	16-1/2
	249	13/16	4	9/16	10	100	29
	249	1	4-3/4	11/16	10	100	47-1/3

<b>SWIVEL EYE BOAT SNAP</b>							
	251Z	5/8	3-1/4	1/2	10	100	13
	251Z	3/4	3-5/16	1/2	10	100	16


<b>SWIVEL EYE SPRING SNAP</b>							
	334	1/4	2-1/8	3/16	10	500	2-1/4
	334	3/8	2-1/8	3/16	10	500	2-1/4




*\* All measurements are in inches unless otherwise noted.*

NICKEL-PLATED ZINC  
DIE CAST ALLOY


## RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
<b>HARNESS FIXED EYE SPRING SNAP</b>							
	340	1/2	1-3/4	3/16	10	500	1-3/4
	340	5/8	1-3/4	3/16	10	500	1-3/4
	340	3/4	1-3/4	3/16	10	500	1-3/4
	340	1	1-7/8	3/16	10	250	2


## FIXED EYE SPRING SNAP

	341	3/8	1-5/16	3/16	10	500	2
---	-----	-----	--------	------	----	-----	---


## HARNESS SWIVEL SPRING SNAP

	435	5/8	2-9/16	3/16	10	100	3-1/2
---	-----	-----	--------	------	----	-----	-------


## SWIVEL EYE SPRING SNAP

	437	3/8	2-1/2	3/16	10	100	3-1/2
	437	1/2	2-5/8	3/16	10	100	3-1/2

## SWIVEL SNAP

	830	5/8	3-3/8	3/8	10	100	11
	830	3/4	3-1/2	3/8	10	100	12
	830	1	3-3/4	3/8	10	100	12-1/2
	830	1-1/8	4-3/4	9/16	10	100	20

## SWIVEL EYE HARNESS SNAP

	840	1	3-1/8	3/8	10	50	13
---	-----	---	-------	-----	----	----	----

\* All measurements are in inches unless otherwise noted.

NICKEL-PLATED ZINC  
DIE CAST ALLOY

## RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
--	--------------	--------------	----------------	--------------	----------	-----------	--------------

### PANIC SNAP WITH FIXED EYE



	1001	$\frac{3}{4}$	$3\text{-}\frac{7}{8}$	$\frac{1}{2}$	10	50	$34\text{-}\frac{1}{4}$
--	------	---------------	------------------------	---------------	----	----	-------------------------

### PANIC SNAP WITH SWIVEL EYE



	1051	$\frac{5}{8}$	$4\text{-}\frac{1}{4}$	$\frac{1}{2}$	10	50	38
	1051	$1\text{-}\frac{1}{8}$	$4\text{-}\frac{1}{2}$	$\frac{1}{2}$	10	50	$38\text{-}\frac{3}{4}$

### SWIVEL EYE TRIGGER SNAP



	5013	$\frac{3}{8}$	$2\text{-}\frac{1}{4}$	$\frac{3}{8}$	10	200	7
	5013	$\frac{1}{2}$	$2\text{-}\frac{7}{16}$	$\frac{3}{8}$	10	100	$7\text{-}\frac{1}{2}$
	5013	$\frac{5}{8}$	$2\text{-}\frac{1}{2}$	$\frac{3}{8}$	10	100	$7\text{-}\frac{3}{4}$
	5013	$\frac{3}{4}$	$2\text{-}\frac{5}{8}$	$\frac{3}{8}$	10	100	$11\text{-}\frac{1}{2}$

### HARNESS SWIVEL EYE TRIGGER SNAP



	5014	$\frac{3}{4}$	$2\text{-}\frac{1}{4}$	$\frac{3}{8}$	10	500	$9\text{-}\frac{1}{2}$
	5014	1	$2\text{-}\frac{5}{8}$	$\frac{1}{2}$	10	500	10

### LARGE SWIVEL EYE TRIGGER SNAP



	5015	$\frac{3}{4}$	$3\text{-}\frac{3}{4}$	$\frac{3}{4}$	10	100	$15\text{-}\frac{1}{2}$
	5015	1	$3\text{-}\frac{15}{16}$	$\frac{3}{4}$	10	100	$18\text{-}\frac{3}{4}$

### SWIVEL EYE BOLT SNAP





	5025	$\frac{1}{2}$	$2\text{-}\frac{7}{8}$	$\frac{5}{16}$	10	200	6
	5025	$\frac{5}{8}$	$2\text{-}\frac{7}{8}$	$\frac{5}{16}$	10	100	6


*\* All measurements are in inches unless otherwise noted.*

NICKEL-PLATED ZINC  
DIE CAST ALLOY





## RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
<b>KEY RING SNAP HOOK</b>							
	5025-5	7/8	3-1/2	5/16	10	100	7-1/2

<b>OPEN SWIVEL EYE SPRING SNAP</b>							
	5037	3/8	2-9/16	3/16	10	100	3-1/3

<b>SWIVEL EYE BABY BOLT SNAP</b>							
	5079	3/8	2	1/4	10	100	2-1/2


## RUST-PROOF ZINC DIE-CAST CLEATS

	STOCK NUMBER				PCS/ BOX	BULK PACK	LBS/ 100 PCS
<b>ROPE CLEAT</b>							
	4015	2-1/2	1	3/8	10	100	3-1/4
	4015	4-1/2	1-5/8	9/16	10	100	9-1/2
	4015	6	2	5/8	10	100	15-3/4

\* All measurements are in inches unless otherwise noted.

NICKEL-PLATED ZINC DIE CAST ALLOY

## RUST-PROOF ZINC DIE-CAST PULLEYS

STOCK NUMBER		ROPE SIZE	PCS/BOX	BULK PACK	LBS/100 PCS
--------------	---	-----------	---------	-----------	-------------

### SWIVEL EYE PULLEY



173	$\frac{1}{2}$	$\frac{3}{16}$	10	100	5- $\frac{1}{2}$
173	$\frac{3}{4}$	$\frac{1}{4}$	10	100	10
173	1	$\frac{9}{32}$	10	50	13- $\frac{1}{4}$
173	1- $\frac{1}{4}$	$\frac{5}{16}$	10	50	19- $\frac{3}{4}$
173	1- $\frac{1}{2}$	$\frac{3}{8}$	10	25	33
173	2	$\frac{7}{16}$	10	10	48

### FIXED EYE PULLEY




174	$\frac{1}{2}$	$\frac{3}{16}$	10	100	5- $\frac{1}{2}$
174	$\frac{3}{4}$	$\frac{1}{4}$	10	100	8- $\frac{3}{4}$
174	1	$\frac{9}{32}$	10	50	13- $\frac{1}{4}$
174	1- $\frac{1}{4}$	$\frac{5}{16}$	10	50	16- $\frac{1}{2}$
174	1- $\frac{1}{2}$	$\frac{3}{8}$	10	25	27- $\frac{1}{2}$
174	2	$\frac{7}{16}$	10	10	45

### FIXED EYE DOUBLE PULLEY



176	$\frac{1}{2}$	$\frac{3}{16}$	10	100	8- $\frac{3}{4}$
176	$\frac{3}{4}$	$\frac{1}{4}$	10	50	13- $\frac{1}{4}$
176	1	$\frac{9}{32}$	10	50	19- $\frac{3}{4}$
176	1- $\frac{1}{4}$	$\frac{5}{16}$	10	25	30- $\frac{3}{4}$
176	1- $\frac{1}{2}$	$\frac{3}{8}$	10	25	57- $\frac{1}{4}$
176	2	$\frac{3}{8}$	10	40	72

### SWIVEL EYE DOUBLE PULLEY



178P	$\frac{1}{2}$	$\frac{3}{16}$	10	100	9
178P	$\frac{3}{4}$	$\frac{1}{4}$	10	50	14
178P	1	$\frac{9}{32}$	10	50	20- $\frac{1}{2}$
178P	1- $\frac{1}{4}$	$\frac{5}{16}$	10	25	32
178P	1- $\frac{1}{2}$	$\frac{3}{8}$	10	25	59
178P	2	$\frac{3}{8}$	10	40	70



BRASS

# BRASS

Henssgen Hardware's selection of solid brass snaps are made in the sand cast method then polished to achieve a high luster.

Our products are widely used in the marine and harness industry due to their ability to hold up to the elements.

For safe working loads on the snaps in this section please call our toll free number 800-833-9598.

\* All measurements are in inches unless otherwise noted.

## SOLID BRASS RINGS



STOCK NUMBER	INCHES	DIAMETER INCHES	DIAMETER MM	PCS/ BOX	BULK PACK	LBS/ 100 PCS
7B	1	.160	4.0	10	100	4-1/2
7B	1-1/8	.200	5.0	10	100	4-1/2
7B	1-1/4	.220	5.5	10	100	7-1/4
7B	1-1/2	.220	5.5	10	100	7-1/4
7B	1-3/4	.240	6.0	10	100	7-1/2
7B	2	.260	6.5	10	100	8-1/4

## SOLID BRASS WITH STAINLESS STEEL SPRINGS

STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
--------------	--------------	----------------	--------------	----------	-----------	--------------

### HARNESS SWIVEL EYE BOLT SNAP



17B	1	3	3/8	10	50	18
-----	---	---	-----	----	----	----

### FIXED EYE HARNESS SNAP



56B	3/4	2-3/8	5/16	10	100	6-3/4
56B	1	2-3/8	5/16	10	100	7

### FIXED EYE BOAT SNAP



0 - 249B	3/8	2-1/4	1/4	10	100	7
1 - 249B	5/8	3	3/8	10	100	11
2 - 249B	11/16	3-1/4	1/2	10	100	15
3 - 249B	3/4	3-7/8	5/8	10	50	29

### SWIVEL EYE BOAT SNAP









1 - 251B	5/8	3-1/4	3/8	10	100	14-1/2
2 - 251B	3/4	3-3/4	1/2	10	100	19-1/2
3 - 251B	3/4	3-7/8	5/8	10	50	31-1/2

BRASS

*\*All measurements are in inches unless otherwise noted.*

## SOLID BRASS WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
<b>SWIVEL SPRING SNAP</b>							
	830B	3/4	3-1/2	5/16	10	100	16
<b>SWIVEL SPRING SNAP</b>							
	830HB	7/8	4-3/8	3/8	10	50	28
<b>OPEN EYE SWIVEL SNAP</b>							
	836BZ	1	4-5/8	1/2	10	50	29
<b>SWIVEL QUICK RELEASE</b>							
	1053B	1	4-1/4	5/8	10	50	41
<b>SWIVEL QUICK RELEASE</b>							
	2002B	3/4	3-5/8	3/4	10	50	23
<b>SNAP HOOK</b>							
	2311B	3/4	4-1/8	5/9	10	25	31-1/2
	2311B	1-1/8	4-3/4	3/4	10	25	46

BRASS

*\* All measurements are in inches unless otherwise noted.*

## SOLID BRASS WITH STAINLESS STEEL SPRINGS

BRASS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
--	--------------	--------------	----------------	--------------	----------	-----------	--------------

### BULL SNAP SWIVEL EYE



	3142B	1	4	1/2	10	50	35
--	-------	---	---	-----	----	----	----

### TRIGGER SNAP



	5013B	1/2	2-1/2	7/16	10	100	10
--	-------	-----	-------	------	----	-----	----

### HARNESS EYE TRIGGER SNAP



	5014B	3/4	2-5/8	7/16	10	100	11
	5014B	1	2-5/8	7/16	10	100	12

### SWIVEL ROUND EYE



	178B	3/4	2-5/8	3/4	10	100	13
--	------	-----	-------	-----	----	-----	----

### DOUBLE END BOLT SNAP



	161B	-	3-1/2	5/16	10	100	11-1/4
	162B	-	4	7/16	10	100	11-1/4
	163B	-	4-3/4	1/2	10	50	11-3/4

### HARNESS SWIVEL EYE BOLT SNAP



	170B	3/4	3	5/16	10	100	8
--	------	-----	---	------	----	-----	---



*\* All measurements are in inches unless otherwise noted.*

## SOLID BRASS WITH STAINLESS STEEL SPRINGS

BRASS

### SWIVEL EYE BOLT SNAP



STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
225B	3/8	3	1/4	10	100	7
225B	1/2	3	1/4	10	100	7
225B	5/8	3-1/8	5/16	10	100	12-3/4
225B	3/4	3-1/8	5/16	10	50	14
225B	1	3-5/8	3/8	10	50	17-1/4
225B	1-1/4	4-3/4	1/2	10	50	33

### OPEN EYE SWIVEL BOLT SNAP



226BZ	3/4	3-3/8	5/16	10	100	16
226BZ	1	4-3/4	7/16	10	50	25

### SWIVEL EYE QUICK SNAP



227B	3/4	3-5/8	3/8	10	100	16
------	-----	-------	-----	----	-----	----

### OPEN EYE BOLT SNAP



231B	5/8	3-1/2	3/8	10	100	13
------	-----	-------	-----	----	-----	----


### OPEN EYE BOLT SNAP



232B	1/2	4	7/16	10	100	19
------	-----	---	------	----	-----	----

*\* All measurements are in inches  
unless otherwise noted.*

**SOLID BRASS  
WITH STAINLESS STEEL SPRINGS**

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
<b>FIXED EYE SPRING SNAP</b>							
	341B	3/8	1-5/16	3/16	10	500	2

**NOTES:**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



STAINLESS STEEL

## STAINLESS STEEL

The snaps found in this section are crafted from a 316 grade stainless steel and stand up to any salt water application. The process used to make these snaps is the lost wax method noted for uniform material cross section therefore creating a consistent strength.

For safe working loads on the snaps in this section please call our toll free number 800-833-9598.

Stainless Steel Snaps are used in highly corrosive situations or where you need a snap that will not rust and will last a long time. Henssgen Hardware's Stainless Steel Snaps are equipped with stainless steel Springs and are used throughout the marine industry.

\* All measurements are in inches unless otherwise noted.

## 316 STAINLESS STEEL POLISHED WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
--	--------------	--------------	----------------	--------------	----------	-----------	--------------

### DOUBLE END BOLT SNAP



162SS	-	4	$\frac{3}{8}$	10	100	15
-------	---	---	---------------	----	-----	----

### SWIVEL EYE BOLT SNAP



225SS	$\frac{3}{8}$	2- $\frac{1}{2}$	$\frac{1}{4}$	10	100	4
225SS	$\frac{1}{2}$	3	$\frac{9}{32}$	10	100	7
225SS	$\frac{5}{8}$	3- $\frac{3}{8}$	$\frac{11}{32}$	10	100	13
225SS	$\frac{3}{4}$	3- $\frac{1}{2}$	$\frac{11}{32}$	10	100	14
225SS	1- $\frac{1}{4}$	4- $\frac{1}{2}$	$\frac{3}{8}$	10	50	25

STAINLESS STEEL

	STOCK NUMBER	DIAMETER MM/INCHES	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
--	--------------	--------------------	----------------	--------------	----------	-----------	--------------

### ALL PURPOSE SNAP



245SS	5/ $\frac{3}{16}$	2	$\frac{1}{4}$	10	100	4- $\frac{1}{2}$
245SS	6/ $\frac{1}{4}$	2- $\frac{3}{8}$	$\frac{5}{16}$	10	50/200	6- $\frac{1}{2}$
245SS	7/ $\frac{9}{32}$	2- $\frac{3}{4}$	$\frac{3}{8}$	10	100	9- $\frac{1}{2}$
245SS	8/ $\frac{7}{16}$	3- $\frac{1}{8}$	$\frac{7}{16}$	10	100	14- $\frac{1}{2}$
245SS	9/ $\frac{3}{8}$	3- $\frac{9}{16}$	$\frac{15}{32}$	10	75	19- $\frac{1}{2}$
245SS	10/ $\frac{13}{32}$	4	$\frac{1}{2}$	10	50	28- $\frac{1}{2}$
245SS	11/ $\frac{7}{16}$	4- $\frac{3}{4}$	$\frac{11}{16}$	10	25	37


### ALL PURPOSE SNAP WITH GROMMET EYE




2450SS	5/ $\frac{3}{16}$	2	$\frac{1}{4}$	10	100	5
2450SS	6/ $\frac{1}{4}$	2- $\frac{3}{8}$	$\frac{5}{16}$	10	50/200	7
2450SS	7/ $\frac{9}{32}$	2- $\frac{3}{4}$	$\frac{3}{8}$	10	100	10
2450SS	8/ $\frac{7}{16}$	3- $\frac{1}{8}$	$\frac{7}{16}$	10	100	15
2450SS	9/ $\frac{3}{8}$	3- $\frac{9}{16}$	$\frac{15}{32}$	10	75	20
2450SS	10/ $\frac{13}{32}$	4	$\frac{1}{2}$	10	50	29
2450SS	11/ $\frac{7}{16}$	4- $\frac{3}{4}$	$\frac{11}{16}$	10	25	38

*\* All measurements are in inches unless otherwise noted.*


## 316 STAINLESS STEEL POLISHED WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
	0 - 249SS	3/8	2-1/16	1/4	10	100	5
	1 - 249SS	5/8	2-7/8	7/16	10	100	9
	2 - 249SS	11/16	3-3/16	9/16	10	100	14
	3 - 249SS	3/4	3-13/16	5/8	10	50	26

## SWIVEL EYE BOAT SNAP


	1 - 251SS	11/16	3-3/8	7/16	10	100	13
	2 - 251SS	13/16	4	15/32	10	100	21
	3 - 251SS	13/16	4-3/4	1/2	10	50	33

STAINLESS STEEL

	STOCK NUMBER	DIAMETER MM/INCHES	INSIDE LENGTH	LINK OPENS	PCS/ BOX	BULK PACK	LBS/ 100 PCS
	508SS	3.5/ 1/8	1-1/8	3/16	10	100	2
	508SS	5/ 3/16	1-1/2	1/4	10	100	5
	508SS	6/ 1/4	1-3/4	9/32	10	50/200	8-1/2
	508SS	8/ 5/16	2-1/4	3/8	10	100	18
	508SS	9/ 3/8	2-7/16	7/16	10	50	20\1/2

## AISI 304 STAINLESS STEEL

*\* All measurements are in inches unless otherwise noted.*

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
	4293.5SS	1/4	1-9/16	7/32	10	500	2/3
	4293.5SS	3/8	2	1/4	10	500	1-1/3





## MALLEABLE IRON

MALLEABLE IRON

The snaps found in this section are made of malleable iron in the sand cast method tumbled smooth and then zinc or nickel plated to protect from rust. These snaps are widely used in farming and ranching as they give a rugged appearance and hold up well to tough use.

For safe working loads on these snaps please call 1 800 833 9598.

\* All measurements are in inches unless otherwise noted.

## NICKEL PLATED MALLEABLE IRON

STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
--------------	--------------	----------------	--------------	----------	-----------	--------------

### HEAVY BULL SNAP SWIVEL EYE



333	1	5	$\frac{9}{16}$	10	25	54- $\frac{1}{4}$
-----	---	---	----------------	----	----	-------------------

### EXTRA HEAVY BULL SNAP SWIVEL EYE



333H	1	5- $\frac{3}{16}$	$\frac{5}{8}$	10	25	72
------	---	-------------------	---------------	----	----	----

### BULL SNAP FIXED EYE



3141	$\frac{7}{8}$	3- $\frac{3}{4}$	$\frac{9}{16}$	10	50	25
------	---------------	------------------	----------------	----	----	----

### BULL SNAP ROUND SWIVEL EYE



3142	$\frac{7}{8}$	3- $\frac{3}{4}$	$\frac{9}{16}$	10	50	40- $\frac{1}{2}$
------	---------------	------------------	----------------	----	----	-------------------

### BULL SNAP HARNESS SWIVEL EYE



3142	1	4	$\frac{1}{2}$	10	25	43- $\frac{3}{4}$
------	---	---	---------------	----	----	-------------------

### FIXED EYE SNAP




822	$\frac{5}{8}$	3	$\frac{3}{8}$	10	100	7- $\frac{3}{4}$
-----	---------------	---	---------------	----	-----	------------------

MALLEABLE IRON




*\* All measurements are in inches unless otherwise noted.*

## NICKEL PLATED MALLEABLE IRON

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
<b>DOUBLE SNAP</b>							
	853	-	3- <sup>3</sup> / <sub>4</sub>	<sup>3</sup> / <sub>8</sub>	10	100	11
	855	-	5- <sup>3</sup> / <sub>16</sub>	1/2	10	50	34- <sup>1</sup> / <sub>4</sub>

## PANIC SNAP WITH HARNESS SWIVEL EYE


	1002M	1	4- <sup>1</sup> / <sub>2</sub>	1/2	10	100	38- <sup>1</sup> / <sub>2</sub>
---	-------	---	--------------------------------	-----	----	-----	---------------------------------

## SNAP HOOK


	2311M	<sup>5</sup> / <sub>8</sub>	4	<sup>5</sup> / <sub>8</sub>	10	100	24- <sup>3</sup> / <sub>4</sub>
--	-------	-----------------------------	---	-----------------------------	----	-----	---------------------------------

## ZINC PLATED MALLEABLE IRON

*\* All measurements are in inches unless otherwise noted.*

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
<b>GATE HOOK W/STAPLES</b>							
	444	<sup>5</sup> / <sub>16</sub>	5	<sup>5</sup> / <sub>16</sub>	10	50	19

## OPEN EYE SNAP

	825	<sup>3</sup> / <sub>8</sub>	3	<sup>5</sup> / <sub>16</sub>	10	100	12- <sup>1</sup> / <sub>2</sub>
	826	1/2	4- <sup>3</sup> / <sub>16</sub>	<sup>7</sup> / <sub>16</sub>	10	100	22
	827	<sup>5</sup> / <sub>8</sub>	4- <sup>7</sup> / <sub>8</sub>	<sup>9</sup> / <sub>16</sub>	10	50	37- <sup>1</sup> / <sub>2</sub>

MALLEABLE IRON

\* All measurements are in inches unless otherwise noted.

## ZINC PLATED MALLEABLE IRON

### SWIVEL EYE BOLT SNAP



STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/BOX	BULK PACK	LBS/100 PCS
225M	1/2	4	3/8	10	100	13
225M	5/8	4-1/16	3/8	10	50	14
225M	3/4	4-1/8	3/8	10	50	14
225M	1	4-5/8	3/8	10	50	21
225M	1-1/8	5-1/16	9/16	10	25	35
225MJ	1	6-1/8	5/8	10	100	50

### OPEN EYE BOLT SNAP



230	3/8	3-1/8	5/16	10	100	8-3/4
231	3/8	3-1/2	5/16	10	100	14-1/2
232	1/2	4	5/16	10	100	15-3/4
240	1/2	4-1/4	1/2	10	50	20
241	1/2	5	9/16	10	25	40
242	5/8	6	9/16	10	25	55

## CABLE HARDWARE

### WIRE ROPE CLIPS



STOCK NUMBER	CABLE DIAMETER	BULK PACK PCS/BOX	STD. PACK PCS/BOX	SHELF PACK PCS/BOX	LBS/100 PCS
513	1/6	1000	100	25	5
513	1/8	1000	100	25	3-1/2
513	3/16	1000	100	25	6
513	1/4	500	100	25	12-3/4
513	5/16	500	100	25	13
513	3/8	250	100	25	21-3/4
513	7/16	200	50	10	37
513	1/2	200	50	10	38
513	5/8	100	25	10	50
513	3/4	100	25	10	65
513	7/8	50	10	5	140
513	1	50	10	5	156

MALLEABLE IRON



## NORMAL STEEL

The snaps and connectors found in this section are manufactured to exacting standards from machine formed steel wire or drop forged steel tumbled smooth and plated to protect against rust.

We are able to offer many simple useful designs that work well with chain and cable.

For safe working loads on the snaps and connectors in this section please call our toll free number shown above.

\* All measurements are in inches unless otherwise noted.

## NORMAL STEEL SNAPS AND CONNECTORS

### TIE OUT STAKE - NICKEL PLATED



STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
47	1- <sup>1</sup> / <sub>4</sub>	16- <sup>3</sup> / <sub>4</sub>	-	-	-	97

### HOOF PICK - NICKEL PLATED, PLASTIC COATED HANDLE



860S	-	5- <sup>5</sup> / <sub>8</sub>	-	10	100	15- <sup>3</sup> / <sub>4</sub>
------	---	--------------------------------	---	----	-----	---------------------------------

### QUICK LINKS - ZINC PLATED



STOCK NUMBER	DIAMETER MM/INCHES	INSIDE LENGTH	LINK OPENS	PCS/ BOX	BULK PACK	LBS/ 100 PCS
508	3.5/ <sup>1</sup> / <sub>8</sub>	1- <sup>1</sup> / <sub>8</sub>	<sup>3</sup> / <sub>16</sub>	10	100	2
508	5/ <sup>3</sup> / <sub>16</sub>	1- <sup>1</sup> / <sub>2</sub>	<sup>1</sup> / <sub>4</sub>	10	100	5- <sup>1</sup> / <sub>4</sub>
508	6/ <sup>1</sup> / <sub>4</sub>	1- <sup>3</sup> / <sub>4</sub>	<sup>9</sup> / <sub>32</sub>	10	100	8- <sup>1</sup> / <sub>2</sub>
508	8/ <sup>5</sup> / <sub>16</sub>	2- <sup>1</sup> / <sub>4</sub>	<sup>3</sup> / <sub>8</sub>	10	100	18- <sup>1</sup> / <sub>4</sub>
508	9/ <sup>3</sup> / <sub>8</sub>	2- <sup>7</sup> / <sub>16</sub>	<sup>7</sup> / <sub>16</sub>	10	50	25
508	12/ <sup>1</sup> / <sub>2</sub>	3- <sup>1</sup> / <sub>4</sub>	<sup>9</sup> / <sub>16</sub>	10	25	52- <sup>3</sup> / <sub>4</sub>

### ROPE CLAMP - ZINC PLATED OR BRASS PLATED



STOCK NUMBER	ROPE SIZE	OVERALL LENGTH	INSIDE LENGTH	PCS/ BOX	BULK PACK	LBS/ 100 PCS
595	<sup>5</sup> / <sub>8</sub>	2	1- <sup>1</sup> / <sub>8</sub>	10	100	4- <sup>1</sup> / <sub>4</sub>
596	<sup>1</sup> / <sub>2</sub>	1- <sup>7</sup> / <sub>16</sub>	1	10	100	6
597	<sup>3</sup> / <sub>8</sub>	<sup>7</sup> / <sub>8</sub>	<sup>7</sup> / <sub>8</sub>	10	100	3

NORMAL STEEL

*\* All measurements are in inches unless otherwise noted.*

## NORMAL STEEL SNAPS AND CONNECTORS

STOCK NUMBER	EYE DIAMETER	DIAMETER INCHES	DIAMETER MM	PCS/BOX	BULK PACK	LBS/100 PCS
--------------	--------------	-----------------	-------------	---------	-----------	-------------

### HITCHING RING W/ SCREW EYE - ZINC PLATED



2-14H	4	9/32	7	10	50	22-1/4
-------	---	------	---	----	----	--------

### HITCHING RING W/ 4 HOLE MOUNTING PLATE - ZINC PLATED



2-24H	2 1/2 X 1 3/4	9/32	7	10	50	25
-------	---------------	------	---	----	----	----

STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/BOX	BULK PACK	LBS/100 PCS
--------------	--------------	----------------	--------------	---------	-----------	-------------

### SIMPLEX SNAP WITH SWIVEL - NICKEL PLATED



	WITHOUT SWIVEL					
734	1	5/16	1/8	25	2000	1/2
734	1-3/16	5/16	5/32	25	1000	2/3
734	1-3/8	5/16	3/16	25	1000	3/4
734	1-9/16	3/8	7/32	25	500	1-1/3
734	1-3/4	3/8	1/4	25	500	1-1/2
734	2	1/2	1/84	25	250	2-2/3

### SIMPLEX SNAP - NICKEL PLATED



734.5	1-3/16	1/4	5/32	25	500	1/3
734.5	1-3/8	1/4	3/16	25	500	3/8
734.5	1-9/16	1/4	7/32	25	500	2/3
734.5	1-3/4	5/16	1/4	25	250	1
734.5	2	3/8	1/4	25	250	1-1/3

NORMAL STEEL

\* All measurements are in inches unless otherwise noted.

## NORMAL STEEL SNAPS AND CONNECTORS

### FLAT WIRE SIMPLEX SNAP - YELLOW ZINC PLATED



STOCK NUMBER	OVERALL LENGTH	EYE DIAMETER	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
1811	1	5/32	5/32	-	3000	.015

### ROPE SNAP HOOK - ZINC PLATED



406	1	3/4	1/4	10	100	11.5
406	1	7/8	1/4	10	100	11.5

### REPAIR LINKS - ZINC PLATED



STOCK NUMBER	DIAMETER MM/INCHES	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
89	-/ 1/8	3/4	1/8	10	100	1
89	-/ 3/16	1	3/16	10	100	2-3/4
89	-/ 1/4	1-1/4	1/4	10	100	4-3/4
89	-/ 5/16	1-1/2	5/16	10	100	12-1/3
89	-/ 3/8	1-5/8	3/8	10	25	21

### ALL PURPOSE SNAP - ZINC PLATED



245	5/ 3/16	2	1/4	10	100	3
245	6/ 1/4	2-3/8	5/16	10	50/200	6
245	7/ 9/32	2-3/4	3/8	10	100	10
245	8/ 5/16	3-1/8	7/16	10	100	14-1/2
245	9/ 3/8	3-9/16	15/32	10	75	19-1/2
245	10/ 13/32	4	1/2	10	50	28
245	11/ 7/16	4-3/4	11/16	10	25	39-1/2
245	13/ 1/2	6-3/8	7/8	10	50	77

NORMAL STEEL

*\* All measurements are in inches unless otherwise noted.*

## NORMAL STEEL SNAPS AND CONNECTORS

### BIT SNAP - ZINC PLATED



STOCK NUMBER	DIAMETER INCHES	OVERALL LENGTH	OPENING SIZE	PCS/BOX	BULK PACK	LBS/100 PCS
422	3/16	1-1/2	1/8	10	100	3-1/4

### BREACHING SNAP - ZINC PLATED



424	1/4	2-1/2	5/16	10	100	6-1/4
-----	-----	-------	------	----	-----	-------

### ALL PURPOSE SNAP WITH GROMMET EYE - ZINC PLATED



2450	6/ 1/4	2-3/8	5/16	10	100	6-1/4
2450	8/ 5/16	3-1/8	7/16	10	100	15

## NORMAL STEEL CHAIN HARDWARE

*\* All measurements are in inches unless otherwise noted.*

STOCK NUMBER	SIZE OF CHAIN	DIMENSIONS IN INCHES				LBS/EACH PCS
		W	P	H	R	

### CLEVIS GRAB HOOK



330	1/4	7/16	3/8	11/32	1-13/16	0.36
330	5/16	1/2	7/16	7/16	2-5/32	0.63
330	3/8	19/32	15/32	1/2	2-15/32	1.00

### CLEVIS SLIP HOOK



331	1/4	7/16	3/8	15/16	2-9/16	0.44
331	5/16	13/32	7/16	1-1/16	2-23/32	0.75
331	3/8	19/32	15/32	1-5/16	3-1/4	1.13

NORMAL STEEL

\* All measurements are in inches unless otherwise noted.

## NORMAL STEEL CHAIN HARDWARE

### DROP FORGED STEEL HOOK - ZINC PLATED



STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
2311	5/8	3-1/2	1/2	10	25	30-1/2

### DROP FORGED ANCHOR SHACKLE W/ SCREW PIN - GALVANIZED



STOCK NUMBER	BOW DIAMETER	PIN DIAMETER	INSIDE WIDTH x LENGTH	BOW WIDTH	APPROX. WEIGHT EACH	SAFE WORKING LOAD
270	3/16	1/4	3/8 x 7/8	21/32	0.07	725
270	1/4	5/16	1/2 x 1-1/8	25/32	0.11	1100
270	5/16	3/8	9/16 x 1-1/4	13/16	0.18	1650
270	3/8	7/16	5/8 x 1-7/16	1	0.31	2200
270	7/16	1/2	3/4 x 1-11/16	1-1/8	0.42	3000
270	1/2	5/8	7/8 x 2	1-1/4	0.75	4000

\* All measurements are in inches unless otherwise noted.

## NORMAL STEEL HARNES RINGS



STOCK NUMBER	EYE DIAMETER	WIRE DIAMETER INCHES	WIRE DIAMETER MM	PCS/ BOX	BULK PACK	LBS/ 100 PCS
3250	5/8	0.155	3.8	10	250	2-3/4
3250	3/4	0.155	3.8	10	250	3
3250	7/8	0.200	5.0	10	250	3-3/4
3250	1	0.200	5.0	10	100	3-1/2
3250	1-1/4	0.240	6.0	10	100	6
3250	1-1/2	0.240	6.0	10	100	9
3250	1-3/4	0.260	6.5	10	50	9-1/2
3250	2	0.260	6.5	10	50	12-1/2

NORMAL STEEL



*\* All measurements are in inches unless otherwise noted.*

# NORMAL STEEL HARNES RINGS

STOCK NUMBER WIRE GAUGE	DIAMETER	WIRE DIAMETER INCHES	WIRE DIAMETER MM	PCS/ BOX	BULK PACK	LBS/ 100 PCS
----------------------------	----------	-------------------------	---------------------	-------------	--------------	--------------------

## WELDED ROUND RING - NICKEL PLATED



0	3	0.297	7.50	10	25	20
0	3-1/2	0.297	7.50	10	25	24
1	3	0.281	7.00	10	25	18
2	1-1/2	0.265	6.50	10	50	8-3/4
2	1-3/4	0.265	6.50	10	50	10
2	2	0.265	6.50	10	50	11-1/4
2	2-1/4	0.265	6.50	10	50	12
2	2-1/2	0.265	6.50	10	50	13-1/2
3	1-1/2	0.250	6.00	10	50	7
3	1-3/4	0.250	6.00	10	50	8
3	2	0.250	6.00	10	50	9
4	1-1/4	0.218	5.50	10	100	5
4	1-1/2	0.218	5.50	10	100	6
7	1/2	0.125	3.00	10	1000	1-1/2
7	5/8	0.156	4.00	10	1000	1-3/4
7	3/4	0.187	4.50	10	1000	2
7	7/8	0.187	4.50	10	1000	2-1/4
7	1	0.187	4.50	10	1000	2-1/2
7	1-1/8	0.187	4.50	10	1000	2-3/4
7	1-1/4	0.203	5.00	10	1000	3

# CABLE HARDWARE

STOCK NUMBER	CABLE DIAMETER	OVERALL LENGTH	INSIDE LENGTH	PCS/ BOX	BULK PACK
--------------	----------------	----------------	---------------	-------------	--------------

## WIRE ROPE THIMBLES - ZINC PLATED





842	1/8	1-3/4	1-1/4	10	100
842	3/16	1-3/4	1-1/4	10	100
842	1/4	2	1-1/2	10	100
842	5/16	2	1-1/2	10	100
842	3/8	2-3/8	1-5/8	10	50
842	1/2	3-1/8	2	10	25

NORMAL STEEL


*\* All measurements are in inches unless otherwise noted.*

## NORMAL STEEL SNAPS AND CONNECTORS

	STOCK NUMBER	DIAMETER INCHES	DIAMETER MM	LENGTH INCHES	PCS/BOX	BULK PACK	LBS/100 PCS
<b>HITCH PIN - ZINC PLATED</b>							
	6053	1/2	12.7	3 <sup>5</sup> / <sub>8</sub>	5	100	40
	6064	5/8	15.875	4	5	100	60
	6065	5/8	15.875	5 <sup>3</sup> / <sub>4</sub>	5	100	80
	6074	3/4	19.05	4	5	100	80
	6076	3/4	19.05	6 <sup>1</sup> / <sub>2</sub>	5	100	120
	6086	7/8	22.225	6 <sup>1</sup> / <sub>2</sub>	5	100	160
	6097	1	25.4	7 <sup>1</sup> / <sub>2</sub>	5	100	220

	STOCK NUMBER	DIAMETER INCHES	DIAMETER MM	LENGTH INCHES	PCS/BOX	BULK PACK	LBS/100 PCS
<b>COTTER PIN - ZINC PLATED</b>							
	6103	3/16	4.7625	3 <sup>3</sup> / <sub>4</sub>	5	100	20
	6105	5/32	3.96875	3	5	100	20

NORMAL STEEL

	STOCK NUMBER	HEIGHT INCHES	DIAMETER INCHES	PCS/BOX	LBS. 100 PCS
<b>COW BELL</b>					
	8LD	2- <sup>3</sup> / <sub>8</sub>	3- <sup>1</sup> / <sub>8</sub>	10	4
	9LD	2- <sup>5</sup> / <sub>8</sub>	3- <sup>1</sup> / <sub>2</sub>	10	8
	10LD	3- <sup>1</sup> / <sub>2</sub>	3	10	8
	12LD	4- <sup>1</sup> / <sub>8</sub>	4	10	12
	14LD	4- <sup>3</sup> / <sub>4</sub>	5	10	18

NOTES:

---



---



---



---



---

## NICKEL-PLATED FORGED STEEL SNAPS AND CONNECTORS



### FRENCH SNAP




STOCK NUMBER	LENGTH W/O SWIVEL MM/INCHES	OVERALL LENGTH MM/INCHES	SNAP OPENING	PCS/BOX	LBS. 100 PCS
60020	50/ 2*	3-3/8	5/32	50	4
60020	60/ 2-3/8	4-9/16	3/16	50	8
60020	70/ 2-3/4	4-1/2	3/16	50	8
60020	85/ 3-3/8**	5-1/4	7/32	50	12
60050	90/ 3-5/8**	5-5/8	1/4	25	18

*Herm Sprenger® Scissor Snaps are Made in Germany with welded swivel, easy fastening and release.*

*\*Also available in Brass and Chrome Plating*

*\*\*Also available in Chrome Plating.*

## CUSTOM CHAINS



We at Henssgen Hardware are proud to be an agent of **Herm Sprenger® Custom Chains**.

We guarantee that our chains comply with all U.S. National Association of Chain Manufacturers' (NACM) requirements.

Our chains are made of corrosion-resistant and rust-proof stainless steel and we assure you that they will exceed your expectations. We offer custom chains in the following finishes:

- Stainless Steel
- Chrome-Plated Steel
- Satin Chrome-Plated Steel
- Black Stainless Steel
- Nickel-Plated Steel
- Gold-Plated Steel
- Polished Brass
- Curogan

We provide custom quotes for all chain orders. Whether you need one chain that's just one foot long or 100 chains that are 30 feet long each - or more! - We will meet with you either in person or virtually to determine your exact requirements. We'll then work within your stated budget to ensure you receive the exact custom chains made at the weight, load capability, choice of metal, etc. that you, our customer needs to get the job done.

No matter if you're looking for a chain for your farm, a racehorse stable, a dairy, a fishing fleet, a zoo, or animal leads in general, contact us at Henssgen Hardware for more information about our **Herm Sprenger® Custom Chains** today.

# Index by Stock Number

STOCK #	PAGE #	STOCK #	PAGE #	STOCK #	PAGE #
0	33	227B	17	830B	15
1	33	230	26	830HB	15
2	33	231	26	836BZ	15
3	33	231B	17	840	9
4	33	232	26	842	33
7	33	232B	17	853	25
7B	14	240	26	855	25
14H	29	241	26	860S	28
17	6	242	26	1001	10
17B	14	245	30	1002M	25
24H	29	245SS	20	1051	10
25	6	249	8	1053B	15
47	28	249B	14	1811	30
56B	14	249SS	21	2002B	15
57	6	251B	14	2311	32
58	6	251Z	8	2311B	15
89	30	270	32	2311M	25
125	6	330	31	2450	31
161	6	331	31	2450SS	20
161B	16	333	24	3141	24
162	6	333H	24	3142	24
162B	16	334	8	3142B	16
162SS	20	340	9	3250	32
163	6	341	9	4015	11
163B	16	341B	18	4293.5SS	21
170B	16	406	30	5013	10
173	12	422	31	5013B	16
174	12	424	31	5014	10
176	12	435	9	5014B	16
178	7	437	9	5015	10
178B	16	444	25	5025	10
178P	12	508	28	5025-5	11
179	7	508SS	21	5037	11
200	7	513	26	5079	11
202	7	595	28	6053	34
222	7	596	28	6064	34
225	8	597	28	6065	34
225B	17	734	29	6074	34
225L	7	734.5	29	6076	34
225M	26	822	24	6086	34
225MJ	26	825	25	6097	34
225SS	20	826	25	6103	34
225X	8	827	25	6105	34
226BZ	17	830	9	60020	34



