



HENSSGEN[®]

● **HARDWARE CORP** ●

43 EVERTS AVENUE
QUEENSBURY, NY 12804

(800) 833 9598
(518) 793-3593
(518) 793-0085 (FAX)
INFO@HENSSGENHARDWARE.COM
WWW.HENSSGENHARDWARE.COM



About Us – Snap Hooks & Pulleys Distributor

Henssgen Hardware was established in 1978 to bring quality snap hook hardware to American distributors and manufacturers from our overseas factories in Germany. In 2000 Henssgen Hardware was purchased from the German owners and the Shaw Family operated the business maintaining the reputation for quality and excellent service. In 2013, the 3rd generation of the Shaw Family, Rachel Shaw Novak purchased the business and continues on today.

We stock over 100 different styles of the most popular snap hooks, pulleys, quick links and assorted hardware in all sizes for Farm, Home, and Sport, and have many more items available. We have over 30 years' experience with our overseas factories from Germany, Italy and Asia. Our team has a strong background in the service industry and providing exceptional customer service to our customers is a core value within the organization. We maintain excellent relationships with the long term suppliers of Henssgen Hardware and will not sacrifice quality for price.

Henssgen Hardware obtained our Women's Business Enterprise/Woman Owned Small Business certification and continues to carry on the tradition of providing high quality rigging hardware to the company's customer base.

We will constantly strive to exceed our customer's expectations and seek out the highest quality products for our inventory. Our core values are service, quality and dependability.

Henssgen Hardware is a distributor of rigging hardware manufactured from Steel, Stainless Steel, Malleable Iron, Die Cast Zinc Alloy, and Solid Brass, that can be used with all types of rope, wire rope, chain, cable, leather and nylon straps. For strength requirements on any of our rigging hardware call or email us.

Please call our toll free number 800-833-9598 and talk to any of our knowledgeable staff to discuss your particular needs. We have the resources available to help you source what you're looking for.

Your satisfaction is guaranteed with every order.



Pricing: FOB Queensbury, NY. All shipments will be made at Net Prices in effect at time of shipment.

Terms: Net 30 days, Open Account to Customers having satisfactory credit ratings, all others COD, or Credit Card



Packing: Orders are shipped minimum 10 pcs. per box, **or bulk packaging available.**

Minimum Order Charge: \$50.00 order fulfilled for full boxed quantities only. Orders less than \$50.00 subject to a \$10.00 surcharge.

Returns: Items returned for credit will be subject to a 25% restocking fee.

NOTES:

[illegible]



NICKEL-PLATED ZINC DIE-CAST ALLOY

Henssgen Hardware's fixed and swivel snap hooks are Die Cast from a Zinc Alloy and then nickel plated to a high luster.

Henssgen Hardware's Zinc Alloy is rust resistant and is used outdoors in fresh water and salt water environments. To add to the rust resistant quality Henssgen Hardware equips each Die Cast Zinc Alloy Snap with a Stainless Steel Spring.

The Die Cast process is done under extreme pressure which results in a very uniform material cross section void of internal defects, therefore creating a very consistent product with regard to finish and strength. For the safe working loads on the Die Cast Snaps in this section call our toll free number shown above.

**RUST-PROOF ZINC DIE-CAST
WITH STAINLESS STEEL SPRINGS**

STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
-----------------	-----------------	-------------------	-----------------	-------------	--------------	-----------------

HARNESS SWIVEL EYE BOLT SNAP

017	1	3- $\frac{1}{8}$	$\frac{5}{16}$	10	100	10- $\frac{1}{8}$
-----	---	------------------	----------------	----	-----	-------------------

HARNESS FIXED EYE BOLT SNAP

025	1	3- $\frac{1}{8}$	$\frac{5}{16}$	10	100	7- $\frac{1}{2}$
-----	---	------------------	----------------	----	-----	------------------

DELUXE SWIVEL EYE BOLT SNAP

057	$\frac{5}{8}$	3- $\frac{1}{4}$	$\frac{5}{16}$	10	100	9- $\frac{1}{4}$
057	$\frac{3}{4}$	3- $\frac{3}{8}$	$\frac{5}{16}$	10	100	9- $\frac{1}{4}$

DELUXE HARNESS SWIVEL SNAP

058	1	3	$\frac{5}{16}$	10	100	10- $\frac{3}{4}$
-----	---	---	----------------	----	-----	-------------------

FIXED EYE BOLT SNAP

125	$\frac{1}{2}$	3- $\frac{5}{16}$	$\frac{3}{8}$	10	100	7- $\frac{1}{4}$
125	$\frac{5}{8}$	3- $\frac{3}{8}$	$\frac{5}{16}$	10	100	7
125	$\frac{3}{4}$	3- $\frac{1}{2}$	$\frac{5}{16}$	10	100	7- $\frac{1}{2}$

DOUBLE END BOLT SNAP

161	-	3- $\frac{1}{2}$	$\frac{5}{16}$	10	100	11- $\frac{1}{2}$
162	-	4	$\frac{5}{16}$	10	100	12
163	-	4- $\frac{1}{2}$	$\frac{5}{16}$	10	100	12

* All measurements are in inches
unless otherwise noted.

RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

NICKEL-PLATED ZINC
DIE CAST ALLOY

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
SWIVEL ROUND EYE							
	178	$\frac{1}{2}$	2	$\frac{1}{2}$	10	100	$4\frac{3}{4}$
	178	$\frac{5}{8}$	$2\frac{3}{8}$	$\frac{5}{8}$	10	100	$5\frac{1}{2}$
	178	$\frac{3}{4}$	$2\frac{5}{8}$	$\frac{3}{4}$	10	100	$6\frac{1}{2}$
	178	1	3	1	10	100	10

SWIVEL HARNESS EYE							
	179	1	$1\frac{7}{8}$	1	10	100	$9\frac{3}{4}$

HARNESS FIXED EYE SPRING SNAP							
	200	$\frac{3}{4}$	$2\frac{11}{16}$	$\frac{3}{8}$	10	100	9
	200	1	3	$\frac{3}{8}$	10	100	$9\frac{1}{3}$

FIXED EYE SPRING SNAP							
	202	$\frac{5}{8}$	$3\frac{1}{8}$	$\frac{3}{8}$	10	100	$8\frac{1}{2}$

SWIVEL EYE SPRING SNAP							
	222	$\frac{3}{4}$	$3\frac{5}{8}$	$\frac{3}{8}$	10	100	$10\frac{1}{2}$

SWIVEL EYE BOLT SNAP							
	225L	$\frac{3}{8}$	$2\frac{1}{4}$	$\frac{1}{4}$	10	100	$3\frac{3}{4}$
	225L	$\frac{1}{2}$	$2\frac{3}{8}$	$\frac{1}{4}$	10	100	$3\frac{3}{4}$
	225L	$\frac{5}{8}$	$2\frac{3}{8}$	$\frac{1}{4}$	10	100	$3\frac{3}{4}$

RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
-----------------	-----------------	-------------------	-----------------	-------------	--------------	-----------------

SWIVEL EYE BOLT SNAP



225	1/2	3-1/8	5/16	10	100	11
225	5/8	3-3/8	5/16	10	100	11
225	3/4	3-1/2	5/16	10	100	12
225	7/8	39-9/16	5/16	10	100	12
225	1	3-11/16	5/16	10	100	12-1/2

SWIVEL EYE BOLT SNAP



225X	3/4	4	7/16	10	70	15-1/2
225X	1-1/8	4-5/16	1/2	10	50	17-1/2

UTILITY SNAP FIXED EYE



249	3/8	2	1/4	10	100	4-1/2
249	1/2	2-3/8	5/16	10	100	6-1/2
249	9/16	2-3/4	3/8	10	100	10-1/3
249	11/16	3-3/8	7/16	10	100	16-1/2
249	13/16	4	9/16	10	100	29
249	1	4-3/4	11/16	10	100	47-1/3

SWIVEL EYE BOAT SNAP



251Z	5/8	3-1/4	1/2	10	100	13
251Z	3/4	3-5/16	1/2	10	100	16

SWIVEL EYE SPRING SNAP



334	1/4	2-1/8	3/16	10	500	2-1/4
334	3/8	2-1/8	3/16	10	500	2-1/4

* All measurements are in inches
unless otherwise noted.

NICKEL-PLATED ZINC
DIE CAST ALLOY

RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
HARNESS FIXED EYE SPRING SNAP							
	340	1/2	1-3/4	3/16	10	500	1-3/4
	340	5/8	1-3/4	3/16	10	500	1-3/4
	340	3/4	1-3/4	3/16	10	500	1-3/4
	340	1	1-7/8	3/16	10	250	2
FIXED EYE SPRING SNAP							
	341	3/8	1-5/16	3/16	10	500	2
HARNESS SWIVEL SPRING SNAP							
	435	5/8	2-9/16	3/16	10	100	3-1/2
SWIVEL EYE SPRING SNAP							
	437	3/8	2-1/2	3/16	10	100	3-1/2
	437	1/2	2-5/8	3/16	10	100	3-1/2
SWIVEL SNAP							
	830	5/8	3-3/8	3/8	10	100	11
	830	3/4	3-1/2	3/8	10	100	12
	830	1	3-3/4	3/8	10	100	12-1/2
	830	1-1/8	4-3/4	9/16	10	100	20
SWIVEL EYE HARNESS SNAP							
	840	1	3-1/8	3/8	10	50	13

RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
-----------------	-----------------	-------------------	-----------------	-------------	--------------	-----------------

PANIC SNAP WITH FIXED EYE



1001	$\frac{3}{4}$	$3\frac{7}{8}$	$\frac{1}{2}$	10	50	$34\frac{1}{4}$
------	---------------	----------------	---------------	----	----	-----------------

PANIC SNAP WITH SWIVEL EYE



1051	$\frac{5}{8}$	$4\frac{1}{4}$	$\frac{1}{2}$	10	50	38
1051	$1\frac{1}{8}$	$4\frac{1}{2}$	$\frac{1}{2}$	10	50	$38\frac{3}{4}$

SWIVEL EYE TRIGGER SNAP



5013	$\frac{3}{8}$	$2\frac{1}{4}$	$\frac{3}{8}$	10	200	7
5013	$\frac{1}{2}$	$2\frac{7}{16}$	$\frac{3}{8}$	10	100	$7\frac{1}{2}$
5013	$\frac{5}{8}$	$2\frac{1}{2}$	$\frac{3}{8}$	10	100	$7\frac{3}{4}$
5013	$\frac{3}{4}$	$2\frac{5}{8}$	$\frac{3}{8}$	10	100	$11\frac{1}{2}$

HARNESS SWIVEL EYE TRIGGER SNAP



5014	$\frac{3}{4}$	$2\frac{1}{4}$	$\frac{3}{8}$	10	500	$9\frac{1}{2}$
5014	1	$2\frac{5}{8}$	$\frac{1}{2}$	10	500	10

LARGE SWIVEL EYE TRIGGER SNAP



5015	$\frac{3}{4}$	$3\frac{3}{4}$	$\frac{3}{4}$	10	100	$15\frac{1}{2}$
5015	1	$3\frac{15}{16}$	$\frac{3}{4}$	10	100	$18\frac{3}{4}$

SWIVEL EYE BOLT SNAP



5025	$\frac{1}{2}$	$2\frac{7}{8}$	$\frac{5}{16}$	10	200	6
5025	$\frac{5}{8}$	$2\frac{7}{8}$	$\frac{5}{16}$	10	100	6

* All measurements are in inches
unless otherwise noted.

NICKEL-PLATED ZINC
DIE CAST ALLOY

RUST-PROOF ZINC DIE-CAST WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
KEY RING SNAP HOOK							
	5025-5	$\frac{7}{8}$	$3\frac{1}{2}$	$\frac{5}{16}$	10	100	$7\frac{1}{2}$
OPEN SWIVEL EYE SPRING SNAP							
	5037	$\frac{3}{8}$	$2\frac{9}{16}$	$\frac{3}{16}$	10	100	$3\frac{1}{3}$
SWIVEL EYE BABY BOLT SNAP							
	5079	$\frac{3}{8}$	2	$\frac{1}{4}$	10	100	$2\frac{1}{2}$

RUST-PROOF ZINC DIE-CAST CLEATS

	STOCK NUMBER			PCS/ BOX	BULK PACK	LBS/ 100 PCS
ROPE CLEAT						
	4015	$2\frac{1}{2}$	1	$\frac{3}{8}$	10	$3\frac{1}{4}$
	4015	$4\frac{1}{2}$	$1\frac{5}{8}$	$\frac{9}{16}$	10	$9\frac{1}{2}$
	4015	6	2	$\frac{5}{8}$	10	$15\frac{3}{4}$

**RUST-PROOF ZINC DIE-CAST
PULLEYS**STOCK
NUMBERROPE
SIZEPCS/
BOXBULK
PACKLBS/
100 PCS**SWIVEL EYE PULLEY**


173	$\frac{1}{2}$	$\frac{3}{16}$	10	100	$5\text{-}\frac{1}{2}$
173	$\frac{3}{4}$	$\frac{1}{4}$	10	100	10
173	1	$\frac{9}{32}$	10	50	$13\text{-}\frac{1}{4}$
173	$1\text{-}\frac{1}{4}$	$\frac{5}{16}$	10	50	$19\text{-}\frac{3}{4}$
173	$1\text{-}\frac{1}{2}$	$\frac{3}{8}$	10	25	33
173	2	$\frac{7}{16}$	10	10	48

FIXED EYE PULLEY


174	$\frac{1}{2}$	$\frac{3}{16}$	10	100	$5\text{-}\frac{1}{2}$
174	$\frac{3}{4}$	$\frac{1}{4}$	10	100	$8\text{-}\frac{3}{4}$
174	1	$\frac{9}{32}$	10	50	$13\text{-}\frac{1}{4}$
174	$1\text{-}\frac{1}{4}$	$\frac{5}{16}$	10	50	$16\text{-}\frac{1}{2}$
174	$1\text{-}\frac{1}{2}$	$\frac{3}{8}$	10	25	$27\text{-}\frac{1}{2}$
174	2	$\frac{7}{16}$	10	10	45

FIXED EYE DOUBLE PULLEY

176	$\frac{1}{2}$	$\frac{3}{16}$	10	100	$8\text{-}\frac{3}{4}$
176	$\frac{3}{4}$	$\frac{1}{4}$	10	50	$13\text{-}\frac{1}{4}$
176	1	$\frac{9}{32}$	10	50	$19\text{-}\frac{3}{4}$
176	$1\text{-}\frac{1}{4}$	$\frac{5}{16}$	10	25	$30\text{-}\frac{3}{4}$
176	$1\text{-}\frac{1}{2}$	$\frac{3}{8}$	10	25	$57\text{-}\frac{1}{4}$
176	2	$\frac{7}{16}$	10	40	72

SWIVEL EYE DOUBLE PULLEY

178P	$\frac{1}{2}$	$\frac{3}{16}$	10	100	9
178P	$\frac{3}{4}$	$\frac{1}{4}$	10	50	14
178P	1	$\frac{9}{32}$	10	50	$20\text{-}\frac{1}{2}$
178P	$1\text{-}\frac{1}{4}$	$\frac{5}{16}$	10	25	32
178P	$1\text{-}\frac{1}{2}$	$\frac{3}{8}$	10	25	59
178P	2	$\frac{7}{16}$	10	40	70



BRASS

BRASS

Henssgen Hardware's selection of solid brass snaps are made in the sand cast method then polished to achieve a high luster.

Our products are widely used in the marine and harness industry due to their ability to hold up to the elements.

For safe working loads on the snaps in this section please call our toll free number 800-833-9598.

**SOLID BRASS
RINGS**

STOCK NUMBER	INCHES	DIAMETER INCHES	DIAMETER MM	PCS/ BOX	BULK PACK	LBS/ 100 PCS
HARNESS ROUND RINGS						
7B	1	.160	4.0	10	100	4- ¹ / ₂
7B	1- ¹ / ₈	.200	5.0	10	100	4- ¹ / ₂
7B	1- ¹ / ₄	.220	5.5	10	100	7- ¹ / ₄
7B	1- ¹ / ₂	.220	5.5	10	100	7- ¹ / ₄
7B	1- ³ / ₄	.240	6.0	10	100	7- ¹ / ₂
7B	2	.260	6.5	10	100	8- ¹ / ₄

**SOLID BRASS
WITH STAINLESS STEEL SPRINGS**

STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
-----------------	-----------------	-------------------	-----------------	-------------	--------------	-----------------

HARNESS SWIVEL EYE BOLT SNAP

17B	1	3	³ / ₈	10	50	18
-----	---	---	-----------------------------	----	----	----

FIXED EYE HARNESS SNAP

56B	³ / ₄	2- ³ / ₈	⁵ / ₁₆	10	100	6- ³ / ₄
56B	1	2- ³ / ₈	⁵ / ₁₆	10	100	7

FIXED EYE BOAT SNAP

0 - 249B	³ / ₈	2- ¹ / ₄	¹ / ₄	10	100	7
1 - 249B	⁵ / ₈	3	³ / ₈	10	100	11
2 - 249B	¹¹ / ₁₆	3- ¹ / ₄	¹ / ₂	10	100	15
3 - 249B	³ / ₄	3- ⁷ / ₈	⁵ / ₈	10	50	29

SWIVEL EYE BOAT SNAP

1 - 251B	⁵ / ₈	3- ¹ / ₄	³ / ₈	10	100	14- ¹ / ₂
2 - 251B	³ / ₄	3- ³ / ₄	¹ / ₂	10	100	19- ¹ / ₂
3 - 251B	³ / ₄	3- ⁷ / ₈	⁵ / ₈	10	50	31- ¹ / ₂

** All measurements are in inches
unless otherwise noted.*

SOLID BRASS WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
SWIVEL SPRING SNAP							
	830B	$\frac{3}{4}$	$3\text{--}\frac{1}{2}$	$\frac{5}{16}$	10	100	16
SWIVEL SPRING SNAP							
	830HB	$\frac{7}{8}$	$4\text{--}\frac{3}{8}$	$\frac{3}{8}$	10	50	28
OPEN EYE SWIVEL SNAP							
	836BZ	1	$4\text{--}\frac{5}{8}$	$\frac{1}{2}$	10	50	29
SWIVEL QUICK RELEASE							
	1053B	1	$4\text{--}\frac{1}{4}$	$\frac{5}{8}$	10	50	41
SWIVEL QUICK RELEASE							
	2002B	$\frac{3}{4}$	$3\text{--}\frac{5}{8}$	$\frac{3}{4}$	10	50	23
SNAP HOOK							
	2311B	$\frac{3}{4}$	$4\text{--}\frac{1}{8}$	$\frac{5}{9}$	10	25	$31\text{--}\frac{1}{2}$
	2311B	$1\text{--}\frac{1}{8}$	$4\text{--}\frac{3}{4}$	$\frac{3}{4}$	10	25	46

**SOLID BRASS
WITH STAINLESS STEEL SPRINGS**

BRASS

STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
-----------------	-----------------	-------------------	-----------------	-------------	--------------	-----------------

BULL SNAP SWIVEL EYE

3142B	1	4	1/2	10	50	35
-------	---	---	-----	----	----	----

TRIGGER SNAP

5013B	1/2	2-1/2	7/16	10	100	10
-------	-----	-------	------	----	-----	----

HARNESS EYE TRIGGER SNAP

5014B	3/4	2-5/8	7/16	10	100	11
5014B	1	2-5/8	7/16	10	100	12

SWIVEL ROUND EYE

178B	3/4	2-5/8	3/4	10	100	13
------	-----	-------	-----	----	-----	----

DOUBLE END BOLT SNAP

161B	-	3-1/2	5/16	10	100	11-1/4
162B	-	4	7/16	10	100	11-1/4
163B	-	4-3/4	1/2	10	50	11-3/4

HARNESS SWIVEL EYE BOLT SNAP

170B	3/4	3	5/16	10	100	8
------	-----	---	------	----	-----	---

** All measurements are in inches
unless otherwise noted.*

SOLID BRASS WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
SWIVEL EYE BOLT SNAP							
	225B	$\frac{3}{8}$	3	$\frac{1}{4}$	10	100	7
	225B	$\frac{1}{2}$	3	$\frac{1}{4}$	10	100	7
	225B	$\frac{5}{8}$	$3\text{-}\frac{1}{8}$	$\frac{5}{16}$	10	100	$12\text{-}\frac{3}{4}$
	225B	$\frac{3}{4}$	$3\text{-}\frac{1}{8}$	$\frac{5}{16}$	10	50	14
	225B	1	$3\text{-}\frac{5}{8}$	$\frac{3}{8}$	10	50	$17\text{-}\frac{1}{4}$
	225B	$1\text{-}\frac{1}{4}$	$4\text{-}\frac{3}{4}$	$\frac{1}{2}$	10	50	33
OPEN EYE SWIVEL BOLT SNAP							
	226BZ	$\frac{3}{4}$	$3\text{-}\frac{3}{8}$	$\frac{5}{16}$	10	100	16
	226BZ	1	$4\text{-}\frac{3}{4}$	$\frac{7}{16}$	10	50	25
SWIVEL EYE QUICK SNAP							
	227B	$\frac{3}{4}$	$3\text{-}\frac{5}{8}$	$\frac{3}{8}$	10	100	16
OPEN EYE BOLT SNAP							
	231B	$\frac{5}{8}$	$3\text{-}\frac{1}{2}$	$\frac{3}{8}$	10	100	13
OPEN EYE BOLT SNAP							
	232B	$\frac{1}{2}$	4	$\frac{7}{16}$	10	100	19

BRASS

**All measurements are in inches
unless otherwise noted.*

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



STAINLESS STEEL

STAINLESS STEEL

The snaps found in this section are crafted from a 316 grade stainless steel and stand up to any salt water application. The process used to make these snaps is the lost wax method noted for uniform material cross section therefore creating a consistent strength.

For safe working loads on the snaps in this section please call our toll free number 800-833-9598.

Stainless Steel Snaps are used in highly corrosive situations or where you need a snap that will not rust and will last a long time. Henssgen Hardware's Stainless Steel Snaps are equipped with stainless steel Springs and are used throughout the marine industry.

**316 STAINLESS STEEL POLISHED
WITH STAINLESS STEEL SPRINGS****DOUBLE END BOLT SNAP**

STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
-----------------	-----------------	-------------------	-----------------	-------------	--------------	-----------------

162SS	-	4	$\frac{3}{8}$	10	100	15
-------	---	---	---------------	----	-----	----

SWIVEL EYE BOLT SNAP

225SS	$\frac{3}{8}$	$2\frac{1}{2}$	$\frac{1}{4}$	10	100	4
225SS	$\frac{1}{2}$	3	$\frac{9}{32}$	10	100	7
225SS	$\frac{5}{8}$	$3\frac{3}{8}$	$\frac{11}{32}$	10	100	13
225SS	$\frac{3}{4}$	$3\frac{1}{2}$	$\frac{11}{32}$	10	100	14
225SS	$1\frac{1}{4}$	$4\frac{1}{2}$	$\frac{3}{8}$	10	50	25

STAINLESS STEEL

ALL PURPOSE SNAP

STOCK NUMBER	DIAMETER MM/INCHES	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
-----------------	-----------------------	-------------------	-----------------	-------------	--------------	-----------------

245SS	$5/ \frac{3}{16}$	2	$\frac{1}{4}$	10	100	$4\frac{1}{2}$
245SS	$6/ \frac{1}{4}$	$2\frac{3}{8}$	$\frac{5}{16}$	10	50/200	$6\frac{1}{2}$
245SS	$7/ \frac{9}{32}$	$2\frac{3}{4}$	$\frac{3}{8}$	10	100	$9\frac{1}{2}$
245SS	$8/ \frac{7}{16}$	$3\frac{1}{8}$	$\frac{7}{16}$	10	100	$14\frac{1}{2}$
245SS	$9/ \frac{3}{8}$	$3\frac{9}{16}$	$\frac{15}{32}$	10	75	$19\frac{1}{2}$
245SS	$10/ \frac{13}{32}$	4	$\frac{1}{2}$	10	50	$28\frac{1}{2}$
245SS	$11/ \frac{7}{16}$	$4\frac{3}{4}$	$\frac{11}{16}$	10	25	37

ALL PURPOSE SNAP WITH GROMMET EYE

2450SS	$5/ \frac{3}{16}$	2	$\frac{1}{4}$	10	100	5
2450SS	$6/ \frac{1}{4}$	$2\frac{3}{8}$	$\frac{5}{16}$	10	50/200	7
2450SS	$7/ \frac{9}{32}$	$2\frac{3}{4}$	$\frac{3}{8}$	10	100	10
2450SS	$8/ \frac{7}{16}$	$3\frac{1}{8}$	$\frac{7}{16}$	10	100	15
2450SS	$9/ \frac{3}{8}$	$3\frac{9}{16}$	$\frac{15}{32}$	10	75	20
2450SS	$10/ \frac{13}{32}$	4	$\frac{1}{2}$	10	50	29
2450SS	$11/ \frac{7}{16}$	$4\frac{3}{4}$	$\frac{11}{16}$	10	25	38

* All measurements are in inches
unless otherwise noted.

316 STAINLESS STEEL POLISHED WITH STAINLESS STEEL SPRINGS

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
FIXED EYE BOAT SNAP							
	0 - 249SS	$\frac{3}{8}$	$2\text{-}\frac{1}{16}$	$\frac{1}{4}$	10	100	5
	1 - 249SS	$\frac{5}{8}$	$2\text{-}\frac{7}{8}$	$\frac{7}{16}$	10	100	9
	2 - 249SS	$\frac{11}{16}$	$3\text{-}\frac{3}{16}$	$\frac{9}{16}$	10	100	14
	3 - 249SS	$\frac{3}{4}$	$3\text{-}\frac{13}{16}$	$\frac{5}{8}$	10	50	26

SWIVEL EYE BOAT SNAP



1 - 251SS	$\frac{11}{16}$	$3\text{-}\frac{3}{8}$	$\frac{7}{16}$	10	100	13
2 - 251SS	$\frac{13}{16}$	4	$\frac{15}{32}$	10	100	21
3 - 251SS	$\frac{13}{16}$	$4\text{-}\frac{3}{4}$	$\frac{1}{2}$	10	50	33

STAINLESS STEEL

	STOCK NUMBER	DIAMETER MM/INCHES	INSIDE LENGTH	LINK OPENS	PCS/ BOX	BULK PACK	LBS/ 100 PCS
QUICK LINKS							
	508SS	$3.5/\frac{1}{8}$	$1\text{-}\frac{1}{8}$	$\frac{3}{16}$	10	100	2
	508SS	$5/\frac{3}{16}$	$1\text{-}\frac{1}{2}$	$\frac{1}{4}$	10	100	5
	508SS	$6/\frac{1}{4}$	$1\text{-}\frac{3}{4}$	$\frac{9}{32}$	10	50/200	$8\text{-}\frac{1}{2}$
	508SS	$8/\frac{5}{16}$	$2\text{-}\frac{1}{4}$	$\frac{3}{8}$	10	100	18
	508SS	$9/\frac{3}{8}$	$2\text{-}\frac{7}{16}$	$\frac{7}{16}$	10	50	$20\text{-}\frac{1}{2}$

* All measurements are in inches
unless otherwise noted.

AISI 304 STAINLESS STEEL

	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
SWIVEL ROUND EYE							
	4293.5SS	$\frac{1}{4}$	$1\text{-}\frac{9}{16}$	$\frac{7}{32}$	10	500	$\frac{2}{3}$
	4293.5SS	$\frac{3}{8}$	2	$\frac{1}{4}$	10	500	$1\text{-}\frac{1}{3}$

NOTES:

[illegible]



MALLEABLE IRON

MALLEABLE IRON

The snaps found in this section are made of malleable iron in the sand cast method tumbled smooth and then zinc or nickel plated to protect from rust. These snaps are widely used in farming and ranching as they give a rugged appearance and hold up well to tough use.

For safe working loads on these snaps please call 1 800 833 9598.

**NICKEL PLATED
MALLEABLE IRON**

STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
-----------------	-----------------	-------------------	-----------------	-------------	--------------	-----------------

HEAVY BULL SNAP SWIVEL EYE

333	1	5	$\frac{9}{16}$	10	25	54- $\frac{1}{4}$
-----	---	---	----------------	----	----	-------------------

EXTRA HEAVY BULL SNAP SWIVEL EYE

333H	1	5- $\frac{3}{16}$	$\frac{5}{8}$	10	25	72
------	---	-------------------	---------------	----	----	----

BULL SNAP FIXED EYE

3141	$\frac{7}{8}$	3- $\frac{3}{4}$	$\frac{9}{16}$	10	50	25
------	---------------	------------------	----------------	----	----	----

BULL SNAP ROUND SWIVEL EYE

3142	$\frac{7}{8}$	3- $\frac{3}{4}$	$\frac{9}{16}$	10	50	40- $\frac{1}{2}$
------	---------------	------------------	----------------	----	----	-------------------

TRIGGER BULL SNAP

3150	$\frac{7}{8}$	3- $\frac{3}{4}$	$\frac{9}{16}$	10	50	43- $\frac{3}{4}$
------	---------------	------------------	----------------	----	----	-------------------

FIXED EYE SNAP

822	$\frac{5}{8}$	3	$\frac{3}{8}$	10	100	7- $\frac{3}{4}$
-----	---------------	---	---------------	----	-----	------------------

** All measurements are in inches
unless otherwise noted.*

NICKEL PLATED MALLEABLE IRON

DOUBLE SNAP



STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
-----------------	-----------------	-------------------	-----------------	-------------	--------------	-----------------

853	-	3- ³ / ₄	³ / ₈	10	100	11
855	-	5- ³ / ₁₆	1 ¹ / ₂	10	50	34- ¹ / ₄

PANIC SNAP WITH HARNESS SWIVEL EYE



1002M	1	4- ¹ / ₂	1 ¹ / ₂	10	100	38- ¹ / ₂
-------	---	--------------------------------	-------------------------------	----	-----	---------------------------------

SNAP HOOK



2311M	⁵ / ₈	4	⁵ / ₈	10	100	24- ³ / ₄
-------	-----------------------------	---	-----------------------------	----	-----	---------------------------------

ZINC PLATED MALLEABLE IRON

** All measurements are in inches
unless otherwise noted.*

STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
-----------------	-----------------	-------------------	-----------------	-------------	--------------	-----------------

GATE HOOK W/STAPLES



444	⁵ / ₁₆	5	⁵ / ₁₆	10	50	19
-----	------------------------------	---	------------------------------	----	----	----

OPEN EYE SNAP



825	³ / ₈	3	⁵ / ₁₆	10	100	12- ¹ / ₂
826	1 ¹ / ₂	4- ³ / ₁₆	⁷ / ₁₆	10	100	22
827	⁵ / ₈	4- ⁷ / ₈	⁹ / ₁₆	10	50	37- ¹ / ₂

ZINC PLATED MALLEABLE IRON

SWIVEL EYE BOLT SNAP



STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
225M	1/2	4	3/8	10	100	13
225M	5/8	4-1/16	3/8	10	50	14
225M	3/4	4-1/8	3/8	10	50	14
225M	1	4-5/8	3/8	10	50	21
225M	1-1/8	5-1/16	9/16	10	25	35
225MJ	1	6-1/8	5/8	10	100	50

OPEN EYE BOLT SNAP



230	3/8	3-1/8	5/16	10	100	8-3/4
231	3/8	3-1/2	5/16	10	100	14-1/2
232	1/2	4	5/16	10	100	15-3/4
240	1/2	4-1/4	1/2	10	50	20
241	1/2	5	9/16	10	25	40
242	5/8	6	9/16	10	25	55

CABLE HARDWARE

WIRE ROPE CLIPS



STOCK NUMBER	CABLE DIAMETER	BULK PACK PCS/BOX	STD. PACK PCS/BOX	SHELF PACK PCS/BOX	LBS/ 100 PCS
513	1/6	1000	100	25	5
513	1/8	1000	100	25	3-1/2
513	3/16	1000	100	25	6
513	1/4	500	100	25	12-3/4
513	5/16	500	100	25	13
513	3/8	250	100	25	21-3/4
513	7/16	200	50	10	37
513	1/2	200	50	10	38
513	5/8	100	25	10	50
513	3/4	100	25	10	65
513	7/8	50	10	5	140
513	1	50	10	5	156



NORMAL STEEL

The snaps and connectors found in this section are manufactured to exacting standards from machine formed steel wire or drop forged steel tumbled smooth and plated to protect against rust.

We are able to offer many simple useful designs that work well with chain and cable.

For safe working loads on the snaps and connectors in this section please call our toll free number shown above.

NORMAL STEEL

NORMAL STEEL SNAPS AND CONNECTORS

TIE OUT STAKE -NICKEL PLATED



STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
47	1- ¹ / ₄	16- ³ / ₄	-	-	-	97

HOOF PICK - NICKEL PLATED, PLASTIC COATED HANDLE



860S	-	5- ⁵ / ₈	-	10	100	15- ³ / ₄
------	---	--------------------------------	---	----	-----	---------------------------------

QUICK LINKS - ZINC PLATED



STOCK NUMBER	DIAMETER MM/INCHES	INSIDE LENGTH	LINK OPENS	PCS/ BOX	BULK PACK	LBS/ 100 PCS
508	3.5/ ¹ / ₈	1- ¹ / ₈	³ / ₁₆	10	100	2
508	5/ ³ / ₁₆	1- ¹ / ₂	¹ / ₄	10	100	5- ¹ / ₄
508	6/ ¹ / ₄	1- ³ / ₄	⁹ / ₃₂	10	100	8- ¹ / ₂
508	8/ ⁵ / ₁₆	2- ¹ / ₄	³ / ₈	10	100	18- ¹ / ₄
508	9/ ³ / ₈	2- ⁷ / ₁₆	⁷ / ₁₆	10	50	25
508	12/ ¹ / ₂	3- ¹ / ₄	⁹ / ₁₆	10	25	52- ³ / ₄

ROPE CLAMP - ZINC PLATED OR BRASS PLATED



STOCK NUMBER	ROPE SIZE	OVERALL LENGTH	INSIDE LENGTH	PCS/ BOX	BULK PACK	LBS/ 100 PCS
595	⁵ / ₈	2	1- ¹ / ₈	10	100	4- ¹ / ₄
596	¹ / ₂	1- ⁷ / ₁₆	1	10	100	6
597	³ / ₈	⁷ / ₈	⁷ / ₈	10	100	3

* All measurements are in inches
unless otherwise noted.

NORMAL STEEL SNAPS AND CONNECTORS

	STOCK NUMBER	EYE DIAMETER	DIAMETER INCHES	DIAMETER MM	PCS/ BOX	BULK PACK	LBS/ 100 PCS
HITCHING RING W/ SCREW EYE - ZINC PLATED							



2-14H	4	$\frac{9}{32}$	7	10	50	22- $\frac{1}{4}$
-------	---	----------------	---	----	----	-------------------

HITCHING RING W/ 4 HOLE MOUNTING PLATE - ZINC PLATED



2-24H	2 $\frac{1}{2}$ X 1 $\frac{3}{4}$	$\frac{9}{32}$	7	10	50	25
-------	-----------------------------------	----------------	---	----	----	----



	STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
SIMPLEX SNAP WITH SWIVEL - NICKEL PLATED							



	WITHOUT SWIVEL					
734	1	$\frac{5}{16}$	$\frac{1}{8}$	25	2000	$\frac{1}{2}$
734	$1\text{-}\frac{3}{16}$	$\frac{5}{16}$	$\frac{5}{32}$	25	1000	$\frac{2}{3}$
734	$1\text{-}\frac{3}{8}$	$\frac{5}{16}$	$\frac{3}{16}$	25	1000	$\frac{3}{4}$
734	$1\text{-}\frac{9}{16}$	$\frac{3}{8}$	$\frac{7}{32}$	25	500	$1\text{-}\frac{1}{3}$
734	$1\text{-}\frac{3}{4}$	$\frac{3}{8}$	$\frac{1}{4}$	25	500	$1\text{-}\frac{1}{2}$
734	2	$\frac{1}{2}$	$\frac{1}{84}$	25	250	$2\text{-}\frac{2}{3}$

SIMPLEX SNAP - NICKEL PLATED



734.5	1- $\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{32}$	25	500	$\frac{1}{3}$
734.5	1- $\frac{3}{8}$	$\frac{1}{4}$	$\frac{3}{16}$	25	500	$\frac{3}{8}$
734.5	1- $\frac{9}{16}$	$\frac{1}{4}$	$\frac{7}{32}$	25	500	$\frac{2}{3}$
734.5	1- $\frac{3}{4}$	$\frac{5}{16}$	$\frac{1}{4}$	25	250	1
734.5	2	$\frac{3}{8}$	$\frac{1}{4}$	25	250	1- $\frac{1}{3}$

NORMAL STEEL

NORMAL STEEL SNAPS AND CONNECTORS

FLAT WIRE SIMPLEX SNAP - YELLOW ZINC PLATED



STOCK NUMBER	OVERALL LENGTH	EYE DIAMETER	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
-----------------	-------------------	-----------------	-----------------	-------------	--------------	-----------------

1811	1	$\frac{5}{32}$	$\frac{5}{32}$	-	3000	.015
------	---	----------------	----------------	---	------	------

ROPE SNAP HOOK - ZINC PLATED



406	1	$\frac{3}{4}$	$\frac{1}{4}$	10	100	11.5
406	1	$\frac{7}{8}$	$\frac{1}{4}$	10	100	11.5


REPAIR LINKS - ZINC PLATED



STOCK NUMBER	DIAMETER MM/INCHES	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
-----------------	-----------------------	-------------------	-----------------	-------------	--------------	-----------------

89	-/ $\frac{1}{8}$	$\frac{3}{4}$	$\frac{1}{8}$	10	100	1
89	-/ $\frac{3}{16}$	1	$\frac{3}{16}$	10	100	2- $\frac{3}{4}$
89	-/ $\frac{1}{4}$	1- $\frac{1}{4}$	$\frac{1}{4}$	10	100	4- $\frac{3}{4}$
89	-/ $\frac{5}{16}$	1- $\frac{1}{2}$	$\frac{5}{16}$	10	100	12- $\frac{1}{3}$
89	-/ $\frac{3}{8}$	1- $\frac{5}{8}$	$\frac{3}{8}$	10	25	21


ALL PURPOSE SNAP - ZINC PLATED



245	$\frac{5}{32}$	2	$\frac{1}{4}$	10	100	3
245	$\frac{6}{16}$	2- $\frac{3}{8}$	$\frac{5}{16}$	10	50/200	6
245	$\frac{7}{32}$	2- $\frac{3}{4}$	$\frac{3}{8}$	10	100	10
245	$\frac{8}{16}$	3- $\frac{1}{8}$	$\frac{7}{16}$	10	100	14- $\frac{1}{2}$
245	$\frac{9}{8}$	3- $\frac{9}{16}$	$\frac{15}{32}$	10	75	19- $\frac{1}{2}$
245	$\frac{10}{32}$	4	$\frac{1}{2}$	10	50	28
245	$\frac{11}{16}$	4- $\frac{3}{4}$	$\frac{11}{16}$	10	25	39- $\frac{1}{2}$
245	$\frac{13}{2}$	6- $\frac{3}{8}$	$\frac{7}{8}$	10	50	77

** All measurements are in inches
unless otherwise noted.*

NORMAL STEEL SNAPS AND CONNECTORS

	STOCK NUMBER	DIAMETER INCHES	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
BIT SNAP - ZINC PLATED							
	422	$\frac{3}{16}$	$1\frac{1}{2}$	$\frac{1}{8}$	10	100	$3\frac{1}{4}$
BREACHING SNAP - ZINC PLATED							
	424	$\frac{1}{4}$	$2\frac{1}{2}$	$\frac{5}{16}$	10	100	$6\frac{1}{4}$
ALL PURPOSE SNAP WITH GROMMET EYE - ZINC PLATED							
	2450	$6\frac{1}{4}$	$2\frac{3}{8}$	$\frac{5}{16}$	10	100	$6\frac{1}{4}$
	2450	$8\frac{5}{16}$	$3\frac{1}{8}$	$\frac{7}{16}$	10	100	15

NORMAL STEEL CHAIN HARDWARE

** All measurements are in inches
unless otherwise noted.*

	STOCK NUMBER	SIZE OF CHAIN	DIMENSIONS IN INCHES				LBS/ EACH PCS
			W	P	H	R	
CLEVIS GRAB HOOK							
	330	$\frac{1}{4}$	$\frac{7}{16}$	$\frac{3}{8}$	$\frac{11}{32}$	$1\frac{13}{16}$	0.36
	330	$\frac{5}{16}$	$\frac{1}{2}$	$\frac{7}{16}$	$\frac{7}{16}$	$2\frac{5}{32}$	0.63
	330	$\frac{3}{8}$	$\frac{19}{32}$	$\frac{15}{32}$	$\frac{1}{2}$	$2\frac{15}{32}$	1.00
CLEVIS SLIP HOOK							
	331	$\frac{1}{4}$	$\frac{7}{16}$	$\frac{3}{8}$	$\frac{15}{16}$	$2\frac{9}{16}$	0.44
	331	$\frac{5}{16}$	$\frac{13}{32}$	$\frac{7}{16}$	$1\frac{1}{16}$	$2\frac{23}{32}$	0.75
	331	$\frac{3}{8}$	$\frac{19}{32}$	$\frac{15}{32}$	$1\frac{5}{16}$	$3\frac{1}{4}$	1.13

NORMAL STEEL

* All measurements are in inches
unless otherwise noted.

NORMAL STEEL CHAIN HARDWARE

DROP FORGED STEEL HOOK - ZINC PLATED



STOCK NUMBER	EYE DIAMETER	OVERALL LENGTH	OPENING SIZE	PCS/ BOX	BULK PACK	LBS/ 100 PCS
2311	$\frac{5}{8}$	$3\frac{1}{2}$	$\frac{1}{2}$	10	25	$30\frac{1}{2}$

DROP FORGED ANCHOR SHACKLE W/ SCREW PIN - GALVANIZED



STOCK NUMBER	BOW DIAMETER	PIN DIAMETER	INSIDE WIDTH x LENGTH	BOW WIDTH	APPROX. WEIGHT EACH	SAFE WORKING LOAD
270	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{3}{8} \times \frac{7}{8}$	$\frac{21}{32}$	0.07	725
270	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{1}{2} \times 1\frac{1}{8}$	$\frac{25}{32}$	0.11	1100
270	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{9}{16} \times 1\frac{1}{4}$	$\frac{13}{16}$	0.18	1650
270	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{5}{8} \times 1\frac{7}{16}$	1	0.31	2200
270	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{3}{4} \times 1\frac{11}{16}$	$1\frac{1}{8}$	0.42	3000
270	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{7}{8} \times 2$	$1\frac{1}{4}$	0.75	4000

* All measurements are in inches
unless otherwise noted.

NORMAL STEEL HARNESS RINGS



STOCK NUMBER	EYE DIAMETER	WIRE DIAMETER INCHES	WIRE DIAMETER MM	PCS/ BOX	BULK PACK	LBS/ 100 PCS
3250	$\frac{5}{8}$	0.155	3.8	10	250	$2\frac{3}{4}$
3250	$\frac{3}{4}$	0.155	3.8	10	250	3
3250	$\frac{7}{8}$	0.200	5.0	10	250	$3\frac{3}{4}$
3250	1	0.200	5.0	10	100	$3\frac{1}{2}$
3250	$1\frac{1}{4}$	0.240	6.0	10	100	6
3250	$1\frac{1}{2}$	0.240	6.0	10	100	9
3250	$1\frac{3}{4}$	0.260	6.5	10	50	$9\frac{1}{2}$
3250	2	0.260	6.5	10	50	$12\frac{1}{2}$

* All measurements are in inches
unless otherwise noted.

NORMAL STEEL HARNESS RINGS

STOCK NUMBER WIRE GAUGE	INSIDE DIAMETER	WIRE DIAMETER INCHES	WIRE DIAMETER MM	PCS/ BOX	BULK PACK	LBS/ 100 PCS
----------------------------------	--------------------	----------------------------	------------------------	-------------	--------------	--------------------

WELDED ROUND RING - NICKEL PLATED



0	3	0.297	7.50	10	25	20
0	3-1/2	0.297	7.50	10	25	24
1	3	0.281	7.00	10	25	18
2	1-1/2	0.265	6.50	10	50	8-3/4
2	1-3/4	0.265	6.50	10	50	10
2	2	0.265	6.50	10	50	11-1/4
2	2-1/4	0.265	6.50	10	50	12
2	2-1/2	0.265	6.50	10	50	13-1/2
3	1-1/2	0.250	6.00	10	50	7
3	1-3/4	0.250	6.00	10	50	8
3	2	0.250	6.00	10	50	9
4	1-1/4	0.218	5.50	10	100	5
4	1-1/2	0.218	5.50	10	100	6
7	1/2	0.125	3.00	10	1000	1-1/2
7	5/8	0.156	4.00	10	1000	1-3/4
7	3/4	0.187	4.50	10	1000	2
7	7/8	0.187	4.50	10	1000	2-1/4
7	1	0.187	4.50	10	1000	2-1/2
7	1-1/8	0.187	4.50	10	1000	2-3/4
7	1-1/4	0.203	5.00	10	1000	3

CABLE HARDWARE



WIRE ROPE THIMBLES - ZINC PLATED

STOCK NUMBER	CABLE DIAMETER	OVERALL LENGTH	INSIDE LENGTH	PCS/ BOX	BULK PACK
842	1/8	1-3/4	1-1/4	10	100
842	3/16	1-3/4	1-1/4	10	100
842	1/4	2	1-1/2	10	100
842	5/16	2	1-1/2	10	100
842	3/8	2-3/8	1-5/8	10	50
842	1/2	3-1/8	2	10	25

NORMAL STEEL

** All measurements are in inches
unless otherwise noted.*

NORMAL STEEL SNAPS
AND CONNECTORS

	STOCK NUMBER	DIAMETER INCHES	DIAMETER MM	LENGTH INCHES	PCS/ BOX	BULK PACK	LBS/ 100 PCS
HITCH PIN - ZINC PLATED							
	6053	1/2	12.7	3 5/8	5	100	40
	6064	5/8	15.875	4	5	100	60
	6065	5/8	15.875	5 3/4	5	100	80
	6074	3/4	19.05	4	5	100	80
	6076	3/4	19.05	6 1/2	5	100	120
	6086	7/8	22.225	6 1/2	5	100	160
	6097	1	25.4	7 1/2	5	100	220

COTTER PIN - ZINC PLATED							
	6103	3/16	4.7625	3 3/4	5	100	20
	6105	5/32	3.96875	3	5	100	20

NORMAL STEEL	STOCK NUMBER	HEIGHT INCHES	DIAMETER INCHES	PCS/ BOX	LBS. 100 PCS
	COW BELL				
	8LD	2-3/8	3-1/8	10	4
	9LD	2-5/8	3-1/2	10	8
	10LD	3-1/2	3	10	8
	12LD	4-1/8	4	10	12
	14LD	4-3/4	5	10	18

NOTES:

NICKEL-PLATED FORGED STEEL SNAPS AND CONNECTORS



FRENCH SNAP



STOCK NUMBER	LENGTH W/O SWIVEL MM/INCHES	OVERALL LENGTH MM/INCHES	SNAP OPENING	PCS/ BOX	LBS. 100 PCS
60020	50/ 2 *	3- ³ / ₈	⁵ / ₃₂	50	4
60020	60/ 2- ³ / ₈	4- ⁹ / ₁₆	³ / ₁₆	50	8
60020	70/ 2- ³ / ₄	4- ¹ / ₂	³ / ₁₆	50	8
60020	85/ 3- ³ / ₈ **	5- ¹ / ₄	⁷ / ₃₂	50	12
60050	90/ 3- ⁵ / ₈ **	5- ⁵ / ₈	¹ / ₄	25	18

Herm Sprenger® Scissor Snaps are Made in Germany with welded swivel, easy fastening and release.

** Also available in Brass and Chrome Plating*

*** Also available in Chrome Plating.*

CUSTOM CHAINS



We at Henssgen Hardware are proud to be an agent of **Herm Sprenger® Custom Chains**.

We guarantee that our chains comply with all U.S. National Association of Chain Manufacturers' (NACM) requirements.

Our chains are made of corrosion-resistant and rust-proof stainless steel and we assure you that they will exceed your expectations. We offer custom chains in the following finishes:

- Stainless Steel
- Chrome-Plated Steel
- Satin Chrome-Plated Steel
- Black Stainless Steel
- Nickel-Plated Steel
- Gold-Plated Steel
- Polished Brass
- Curogan

We provide custom quotes for all chain orders. Whether you need one chain that's just one foot long or 100 chains that are 30 feet long each - or more! - We will meet with you either in person or virtually to determine your exact requirements. We'll then work within your stated budget to ensure you receive the exact custom chains made at the weight, load capability, choice of metal, etc. that you, our customer needs to get the job done.

No matter if you're looking for a chain for your farm, a racehorse stable, a dairy, a fishing fleet, a zoo, or animal leads in general, contact us at Henssgen Hardware for more information about our **Herm Sprenger® Custom Chains** today.

Index by Stock Number

STOCK #	PAGE #	STOCK #	PAGE #	STOCK #	PAGE #
0	33	227B	17	830B	15
1	33	230	26	830HB	15
2	33	231	26	836BZ	15
3	33	231B	17	840	9
4	33	232	26	842	33
7	33	232B	17	853	25
7B	14	240	26	855	25
14H	29	241	26	860S	28
17	6	242	26	1001	10
17B	14	245	30	1002M	25
24H	29	245SS	20	1051	10
25	6	249	8	1053B	15
47	28	249B	14	1811	30
56B	14	249SS	21	2002B	15
57	6	251B	14	2311	32
58	6	251Z	8	2311B	15
89	30	270	32	2311M	25
125	6	330	31	2450	31
161	6	331	31	2450SS	20
161B	16	333	24	3141	24
162	6	333H	24	3142 / 3150	24
162B	16	334	8	3142B	16
162SS	20	340	9	3250	32
163	6	341	9	4015	11
163B	16	341B	18	4293.5SS	21
170B	16	406	30	5013	10
173	12	422	31	5013B	16
174	12	424	31	5014	10
176	12	435	9	5014B	16
178	7	437	9	5015	10
178B	16	444	25	5025	10
178P	12	508	28	5025-5	11
179	7	508SS	21	5037	11
200	7	513	26	5079	11
202	7	595	28	6053	34
222	7	596	28	6064	34
225	8	597	28	6065	34
225B	17	734	29	6074	34
225L	7	734.5	29	6076	34
225M	26	822	24	6086	34
225MJ	26	825	25	6097	34
225SS	20	826	25	6103	34
225X	8	827	25	6105	34
226BZ	17	830	9	60020	34

